

ReddiSpace Acoustic Booths



View AR and 3D visual tools, statement of line and more at:
[FRIANT.COM](https://www.friant.com)

FRIANT



FRÍANT



ReddiSpace **QuickTime**



ReddiSpace **QuickTime**



ReddiSpace **MeTime**



ReddiSpace **MeTime**



ReddiSpace **WeTime**



ReddiSpace **WeTime**



ReddiSpace **OurTime**






ReddiSpace **OurTime**



Introducing ReddiSpace, the ultimate solution for a private and focused environment. Our premium acoustic booth combines functionality and style for an enhanced productive workspace. For moments you need a quiet space to concentrate and minimize distractions, **ReddiSpace is ready.**

Soundproofing

Designed with exceptional soundproofing performance, providing a private and distraction-free environment that allows users to focus, communicate, and work without interruptions from external noise.



Adaptability

Equipped with a convenient work surface, lighting, and plug-and-play power, ReddiSpace is highly adaptable in any setting. With casters, these booths are mobile, allowing you to easily move and place them in different locations within your workspace as needed.



Customization

ReddiSpace offers customizable configurations in size, finish, and materials, allowing you to create a modern and professional look that complements your brand's identity. Customize and design a cohesive and polished aesthetic in your workspace that reflects your unique style.

UL Certified

ReddiSpace has undergone rigorous testing and complies with industry standards. Engineered with stability and security in mind, ReddiSpace is UL certified, meeting recognized safety requirements and providing a safe and comfortable station for your work environment.



ReddiSpace Specifications



QuickTime



MeTime



WeTime



OurTime

Exterior Dimensions

40.5" x 40.5" x 86.5"

Power

1 Plug, 1 USB-A, 1 USB-C

Ventilation

2 Fans
Airflow: 1340 L/min
Air replaced every 1.2 min

Lighting

Sensor

Exterior Dimensions

63.5" x 47" x 86.5"

Power

2 Plugs, 1 USB-A, 1 USB-C

Ventilation

2 Fans
Airflow: 1340 L/min
Air replaced every 1.2 min

Lighting

Sensor

Exterior Dimensions

86.5" x 47" x 86.5"

Power

2 Plugs, 1 USB-A, 1 USB-C

Ventilation

4 Fans
Airflow: 2680 L/min
Air replaced every 1.8 min

Lighting

Manual

Exterior Dimensions

86.5" x 59" x 86.5"

Power

4 Plugs, 2 USB-A, 2 USB-C

Ventilation

8 Fans
Airflow: 4020 L/min
Air replaced every 1.6 min

Lighting

Manual

Materials

Casing

Layered composition of sheet metal, fire-rated gypsum board, recycled acoustic foam and acoustic felt

Glass

10mm tempered glass with aluminum frame

Exterior

Painted sheet metal or wood veneer



Frames

Aluminum

Door


6mm tempered glass with black painted aluminum frame

Carpet


Anti-static, stain resistant low loop pile carpet

Finishes


Interior (Acoustical PET)




Top Finish (Worksurfaces)




Fabric (Sofas)



Carpet



Casing





Please note that the images shown in this catalog are for reference purposes only. The actual product may differ in appearance, features, or specifications. For the most current information, please view the product price book at friant.com.



FRÍANT

View AR and 3D visual tools, statement of line and more at:

FRIANT.COM