

TABLE OF CONTENTS

| INTRODUCTION | | Double Sided to Single Sided, End of Run | | |
|---------------------------|----|--|-------|--|
| Terms and Conditions | 3 | and Inline | 15 | |
| Standard Fabrics | 6 | Grommet Locations | 16-21 | |
| Pattern Direction | 7 | Power Grommets | 22 | |
| Standard Finishes | 8 | Data Port Plate | 23 | |
| Pull Options | 9 | How to Specify My-Hite 2 Piece Extended | | |
| Ordering Verity: Elements | 10 | Corner or Rectangular Tops | 24 | |
| Support Selection | 11 | | | |
| Powering Verity | 14 | | | |

| ELEMENTS | | WORKSURFACE SUPPORTS | | STORAGE | |
|-----------------------------------|-----|--|-----|-------------------------------------|----|
| CTARTER /END ELEMENTS | | Worksurface Supports, Single-Sided | | Mobile Pedestals | |
| STARTER/END ELEMENTS | | For Start/End of Run | 46 | Laminate | 77 |
| Starter/End Element, Single-Sided | 0.0 | For Center of a Run | 48 | Metal | 78 |
| Non-Powered | 26 | Worksurface Supports, Double-Sided | | My-Hite | 79 |
| Powered | 27 | For Start/End of a Run | 50 | Credenzas | 80 |
| Starter/End Element, Double-Sided | | For Center of a Run | 50 | Cabinets | 82 |
| Non-Powered | 28 | Taper & Inset: End of Run Support | 51 | Over-Worksurface Storage | |
| Powered | 29 | Double Sided, Taper & Inset: Center of | | Single-Sided | 83 |
| Starter/End Element, 120° 3 Pack | | Run | 53 | Double-Sided | 85 |
| Non-Powered | 30 | | | Pulls | 87 |
| Powered | 31 | SUPPORTING STORAGE | | Supports | 89 |
| EVENICION EL EMENTO | | Pedestals and Credenzas | 54 | | |
| EXTENSION ELEMENTS | | Cabinets | 57 | TRACK-MOUNTED ACCESSORIES | |
| Extension Element, Single-Sided | | Attachment Brackets | 58 | Fabric Tackboard | 90 |
| Non-Powered | 32 | | | Glass Screen | 91 |
| Powered | 33 | GALLERY PANELS | | | |
| Extension Element, Double-Sided | | Gallery Panels, End of Run | 59 | WORKSURFACE-MOUNTED | |
| Non-Powered | 34 | ELECTRICAL DISTRIBUTION | | ACCESSORIES | |
| Powered | 35 | | C1 | Privacy Screen, Fabric | 92 |
| Extension Element, 120° 3 Pack | | Electrical Distribution | 61 | Privacy Screen, Marker Board | 93 |
| Non-Powered | 36 | Power Grommets | 65 | Privacy Screen, Laminate | 94 |
| Powered | 37 | MY-HITE WORKSURFACE | | Modesty Panel, Laminate | 95 |
| STAND-ALONE ELEMENTS | | Rectangular | 66 | Fabric Tackboard | 96 |
| Stand-Alone Element, Single-Sided | | Rectangular Extension | 67 | Glass Screen | 97 |
| · - | | Wedge | 68 | Markerboard Screen | 97 |
| Non-Powered | 39 | D-Shaped | 69 | Modesty Panel, undersurface mounted | 97 |
| Powered | 40 | 120° Corner / 90° Ends | 70 | Supporting Brackets | 98 |
| Stand-Alone Element, Double-Sided | | 120° Corner / 120° Ends | 70 | Desk Mounted Power Unit | 98 |
| Non-Powered | 42 | Corner | 71 | Mesh Wire Manager | 98 |
| Powered | 43 | 90° Extended Curved Corner | 72 | Monitor Arm | 99 |
| Stand-Alone Element, 120° 3 Pack | | 20 Extended durved donner | , _ | Keyed-Alike | 99 |
| Non-Powered | 44 | Ordering Verity Accessories & Storage | | | |
| Powered | 45 | Cracing verity Accessories a storage | 75 | | |
| | | Return Worksurface | 76 | | |

Terms and Conditions

PRICES

All Prices are F.O.B. point (Continental U.S.). We reserve the right to change prices without prior notice. See Friant policy at www. Friant.com

ORDERING

Purchase Orders should be sent to Friant & Associates, LLC at orders@friant.com, or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA, or Project Matrix please send the worksheet (SP4) with your Purchase Order.

TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

LEAD TIME

Lead times are subject to availability.

SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

ORDER CHANGE - CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

Terms and Conditions continued

CONSTRUCTION - SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

FABRIC APPLICATION

Standard fabric application is non-directional.

Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Please note: Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally. See individual pricebook specifications for details.

CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

RIGHTS AND WARRANTIES - LIMITED LIFETIME WARRANTY

This warranty is given to the initial purchaser and is valid from the date of purchase, for as long as the initial purchaser owns the product. This warranty covers defects in material and craftsmanship found during normal usage of the product during the warranty period. Normal usage is defined by 8 hour shifts in the product's intended application and in an indoor environment that conforms to the ANSI/ ASHRAE Standard 55: Thermal Environmental Conditions for Human Occupancy (relating to air temperature, mean radiant temperature, air velocity, clothing insulation, metabolic rate, and humidity). Friant's warranty does not cover usage other than normal usage as defined in the previous sentence. If the product is defective, and if written notice of the defect is given to Friant & Associates within the applicable warranty period, Friant & Associates, at its option, will either repair or replace the defective product with a comparable component or product. This warranty applies to all products except as noted below.

High wear parts, such as wood veneer, fabrics, laminates, and other covering material/finishes, foam. glides, etc. are warranted for one (1) year. This warranty does not apply to damage caused by a carrier, alteration to the product not expressly authorized by Friant & Associates, nor to product considered to be of a consumable nature such as bulbs, light ballasts, etc. It also does not apply to "Customer's Own Material" (i.e. material specified by the customer that is not a standard Friant & Associates offering) used in the manufacture of Friant & Associates products.

Our warranty for LED lights is 2 years.

Friant & Associates does not warrant the matching of colors, grain or texture, except to within commercially acceptable standards. This includes normal variations between dye lots (fabrics).

A product will not be considered defective, and Friant & Associates will not be obligated to replace it, if it is not installed in a proper manner (i.e. product not leveled, not secured properly, etc.) or if it is not used in a manner and/or in an environment that constitutes normal usage, as defined above.

Except as noted above, Friant & Associates makes no express or implied warranties to any product, and in particular makes no warranty of fitness for any particular use. At Friant & Associates' option, product repair and replacement is the customer's exclusive remedy for any and all product defects.

Friant & Associates shall not be liable for consequential, economic, or incidental damages arising from any product defect.

Terms and Conditions continued

CALIFORNIA PROP 65 WARNING

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to https://www.p65warnings.ca.gov/products/furniture-products."

CARB

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

TSCA TITLE VI

Friant products are TSCA Title VI Compliant

MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3 California Dept. Of Public Health Standard Method v1.2

Conforms With: LEED v4

Criteria of MAS Certified Green ® Program

Standard Fabrics

| JOURNEY | • | TERRAIN | | SLIDE | | SILKY | | SKY | |
|---------|------------|---------|-------|----------|-----------|---------|----------|---------|-------|
| PF801-1 | Quest | PF701-1 | Cloud | PF101-1 | Caramel | PF401-1 | Natural | PF301-1 | Terra |
| PF801-2 | Voyage | PF701-2 | Dusk | PF101-2 | Slate | PF401-2 | Parids | PF301-2 | Birch |
| PF801-3 | Transit | PF701-3 | Wave | PF101-3 | Pewter | PF401-3 | Overcast | PF301-3 | Moss |
| PF801-4 | Amble | PF701-4 | Earth | PF101-7 | Java | PF401-5 | Graphite | | |
| PF801-5 | Odyssey | | | PF101-9 | Sterling | | | | |
| PF801-6 | Caravan | | | PF101-10 | Crema | | | | |
| PF801-7 | Expedition | | | PF101-13 | Mustard | | | | |
| PF801-8 | Wayfare | | | PF101-14 | Avocado | | | | |
| | | | | PF101-15 | Pumpkin | | | | |
| | | | | PF101-16 | Ocean | | | | |
| | | | | PF101-17 | Blueberry | | | | |
| | | | | PF101-18 | Cardinal | | | | |
| | | | | PF101-19 | Flamingo | | | | |
| | | | | PF101-20 | Serenity | | | | |
| | | | | PF101-21 | Azure | | | | |
| | | | | PF101-22 | Orchid | | | | |
| | | | | PF101-23 | Plum | | | | |
| | | | | PF101-24 | Raven | | | | |

| LIMITED AVAILABILITY | | | | | | | | | |
|----------------------|---------|---------|------|---------|-------|--|--|--|--|
| SLIDE | | STICKS | | PASSAGE | | | | | |
| PF101-4 | Verde | PF501-3 | Sage | PF601-5 | Leaf | | | | |
| PF101-6 | Vintage | | | PF601-8 | Amber | | | | |
| PF101-8 | Latte | | | | | | | | |
| | | | | | | | | | |


Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.

NOTE:

- Fabric direction as per Friant's fabric card.
- All textiles listed are 66" wide.
- Order fabric/finish sample online at www.friant.com
- Colors may vary slightly between dye lots.
- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens..
- Please consult your Friant sales consultant for:
 - Other colors not listed above
 - C.O.M. fabric

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products: http://dealers.friant.com/dealers/product-literature/
- Our Customer Success Team is happy to answer any questions regarding fabric direction.



Standard Finishes

For matching edge PVC, please read across matrix.

| | WORKSURFACE LAMINATES | | EDGE LAMINATES (3MM PVC) |
|-----|-----------------------|-----|-----------------------------|
| M1 | Light Maple | E1 | Light Maple |
| M2 | Light Cherry | E2 | Light Cherry |
| М3 | Medium Cherry | E3 | Medium Cherry |
| M4 | Dark Mahogany | E4 | Dark Mahogany |
| М6 | Light Gray | E6 | Light Gray |
| М9 | Cloud White | E9 | Cloud White |
| M10 | D Espresso | E10 | Espresso |
| M11 | Light Walnut | E14 | Light Walnut |
| M12 | 2 Medium Walnut | E15 | Medium Walnut |
| M13 | 3 Licorice | E13 | Licorice |
| M14 | 4 Carob | E17 | Carob |
| M16 | 5 Tundra | E19 | Tundra |
| M18 | 3 Capitan | E21 | Capitan |
| M19 | 9 Fog | E22 | Fog |
| M2 | o Sandstone | E23 | Sandstone |
| M2 | 3 Bark | E26 | Bark |
| M2 | 5 Winter | E28 | Winter |
| M2 | 6 Storm | E29 | Storm |
| M2 | 7 Medium Ash | E30 | Medium Ash |
| M2 | 8 Arctic | E31 | Arctic |
| M2 | 9 Raven | E32 | Raven |
| М3 | 0 Barley | E33 | Barley |
| M3 | 1 Camel | E34 | Camel |

Complimentary Edge Finishes

E8 Black UmberE11 Medium ToneE12 Dark Tone

Complimentary edge finishes have no exact laminate match available

Order samples at www.friant.com

Please Note: Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

PAINT FINISH

BU Black Umber

CW Cloud White

SV Silver

GROMMET COLORS

BU Black Umber

CW Cloud White

SV Silver

MY-HITE PED FOAM CUSHION

Red

Charcoal

Café

Grey

MY-HITE COLOR PEDESTAL TOP


Green

Blue

Red


Credenza, Pedestal, Lateral File and Freestanding Tower Handles

You have multiple handle options for handles for your FRIANT storage. Please specify which handle you would like when ordering. For any questions, please call Friant Customer Success or your sales rep.



WEDGE PULL

Available in Brushed Aluminum, Black Umber



Ordering Verity: Elements

Verity benching can be ordered as Elements.

See below for further details about Elements and a guide on how to order.

Elements

Elements are parts to build a larger and more customized complete unit. They are not freestanding, must be combined with other elements, and require ordering supports separately. An Element consists of structure and worksurface only.

There are three types of Elements:

- Starter/End Elements
- Extension Elements
- SA Elements (Stand Alone)
- * Starter/End Elements are required at both the start and end of every run. Extension Elements are used anywhere between the Starter and End Elements.
- * Support options for Elements include legs, pedestals, cabinets or credenzas.
- Additions, such as storage and accessories, are not included and need to be ordered separately.
- * Available single-sided or double-sided, either non-powered or powered.
- * Verity runs should not exceed 25'


How to Order Elements

1 Build a run with Starter/End and Extension Elements.

First, select a Starter/End Element to start the run.

Next, select one or more Extension Elements to extend the run.

Last, select a Starter/End Element to end the run.



2 Select the supports.

Starter/End Elements can be supported by legs or supporting storage. Extension Elements can be supported by open center legs, enclosed center legs or credenzas.



All storage supports require ordering attachment brackets separately

3 Order electrical components, as necessary.

Order infeeds, duplexes and power jumpers from page 61.



4 Optional: Select Additions to complete your unit.

For all specification options and details, please reference the corresponding page from the table of contents.



*Available as fabric, tackboards, glass, and markerboards

*Not to exceed 20

How to Specify Support Selections in Verity Elements

Verity Double Sided Start/End and Stand Alone Elements have an option for the type of Support Bar. Specify the **Support Selection** on the Verity Element based on the type of legs used.

Please note: There is no Support Selection option for Extension Elements or any Single Sided Elements. Only straight support bars would be needed.

Select a Verity Element:

| Choose | Specify Part # | Specify Options |
|--------|----------------|---|
| | FVSED.4848-N | Worsksurface Finish Edge Finish Finish Support Selection |

Specify Support Selection

Support Selection is determined based on the type of leg used.

CONCAVE supports are needed on the side of an Element supported by Concave Taper Start/End legs or Concave Inset Start/End

Concave Legs



STRAIGHT supports are needed on the side of an Element supported by all other Start/End legs, Center Legs, or Supporting Storage

Straight Legs | Center Legs | Supporting Storage













How to Specify Support Selections in Verity Elements continued.

Support Selection for Start/End Element, Double Sided



| Code | Description |
|--------------|------------------------|
| CONISD | Concave 1 sided |
| STRAIGHT LEG | Straight Leg Selection |


Support Selection for Stand Alone Element, Double Sided



| Code | Description | | |
|--------------|------------------------|--|--|
| CON2SD | Concave 2 sided | | |
| CONISD | Concave 1 sided | | |
| STRAIGHT LEG | Straight Leg Selection | | |


How to Specify Support Selections in Verity Elements continued.

$^{2\circ}$ Support Selection for Start/End Element, 120 $^{\circ}$



| Code | Description |
|--------------|------------------------|
| CON2SD | Concave 2 sided |
| STRAIGHT LEG | Straight Leg Selection |

Support Selection for Stand Alone Element, 120 $^{\circ}$



| Code | Description |
|--------------|------------------------|
| CON3SD | Concave 3 sided |
| CON2SD | Concave 2 sided |
| STRAIGHT LEG | Straight Leg Selection |


Powering Verity

A guide to ordering electrical components for Verity benching.

See below for further details about running electrical/data.

Connecting to Power

Power can be brought in 3 different ways, which are all shown below. Select the option that best fits the needs of the space and order from the components shown on page 33.



- Wire Manager + Infeed connect power anywhere along the run and use the wire manager to conceal wires.
- Power Pole may be used only at the start or end of a run.
- Enclosed Center Leg + Infeed connect power at the center of a run and conceal wires inside the leg.

Power Distribution

To bring power from one Element to another, order a 4-circuit power jumper.

Power Jumper for 96"W Elements

When connecting power for a 96"W element, use 48"W jumper.

96" wide elements require a 48" power jumper in the center in addition to the jumper connecting adjacent elements.

| Power | Jumper | Sizing | Chart |
|-------|--------|--------|-------|
| | | | |

| | 48 | 54 | 60 | 66 | 72 | 78 | 84 |
|----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 48 | FVJUMP.48 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 |
| 54 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 |
| 60 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 |
| 66 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 |
| 72 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 |
| 78 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 |
| 84 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 | FVJUMP.84 |


Power Duplexes

Order two duplexes per workstation.

Duplexes provide access to I, II, III, and IIII circuits. Use receptacle IIII for a dedicated circuit.


Double Sided to Single Sided, End of Run

- · Verity offers Stand-Alone Elements sized specifically for placement at the end of Double-Sided runs
 - FVSAES.2450-E4 (page 41) or FVSAES.2450-N (page 39) for use with 48"D Elements
 - FVSAES.2462-E4 (page 41) or FVSAES.2462-N (page 39) for use with 60"D Elements
- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single Sided Stand-Alone Elements and supports to finish the run
- Add (1) FV-DCT Double-Sided Connecting Trough and (1) FVJUMP.48 Jumper to bring the power from Double Sided cluster to Single-Sided Element
- · Add (1) FVFB.08 Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
 - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support



Double Sided to Single Sided, Inline

- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single-Sided Stand-Alone Elements and supports to finish the run
- Add (1) FV-DCT Double-Sided Connecting Trough and (1) FV-SCT Single-Sided Connecting Trough to bring the power from Double-Sided cluster to Single-Sided Element
- Specify Jumper of appropriate length, see Power Jumper Sizing Chart for reference (page 63)
- · Add (1) FVFB.08 Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
 - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support



Grommet Locations



Select a My-Hite worksurface


My-Hite tops (see page 66) offer optional grommets. (Please use the codes shown when specifying location of grommets). An upcharge of \$75 applies per grommet.





Select a grommet location, Rectangular Tops

Specify location by using the designated codes



| | CODE | POSITION |
|--|------|---|
| | GL | 4" from left side - 4" from rear |
| | GC | Centered from side to side - 4" from rear |
| | GR | 4" from right side - 4" from rear |
| | G1 | Pair of grommets, GL and GR |
| | G5 | Three grommets, GL-GC-GR |
| | | |

Dimensions are measured from grommet center


For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard




Select a grommet location, Extended Corner Tops

Specify location by using the designated codes



Extended Corner, Left Handed

| CODE | POSITION | | | | |
|------|---|--|--|--|--|
| GL | 4" from left side - 4" from rear | | | | |
| GC | Centered from side to side - 4" from rear | | | | |
| GCOR | Corner, 4" from Rear | | | | |
| GSR | 4" from right side - 4" from rear | | | | |



Extended Corner, Right Handed

| CODE | POSITION |
|------|---|
| GCOR | Corner, 4" from Rear |
| GC | Centered from side to side - 4" from rear |
| GR | 4" from right side - 4" from rear |
| GSL | 4" from left side - 4" from rear |

Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.


Grommets are 3" round with cover standard

Grommet Locations



Select a grommet location, D-Shaped Tops

Specify location by using the designated codes



| CODE | POSITION |
|------|---|
| GC | Centered from side to side - 4" from rear |

Dimensions are measured from grommet center


For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard



Select a grommet location, 120° Tops

Specify location by using the designated codes



| CODE | POSITION |
|---------|-----------------------------------|
| 120GL | 4" from left side - 4" from rear |
| 120GCOR | Corner - 4" from rear |
| 120GR | 4" from right side - 4" from rear |

Dimensions are measured from grommet center


For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard



Select a grommet location, 90° Equal Corners

Specify location by using the designated codes



| CODE | POSITION |
|------|-----------------------------------|
| GSL | 4" from left side - 4" from rear |
| GCOR | Corner - 4" from rear |
| GSR | 4" from right side - 4" from rear |

Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 65. An upcharge of \$75 applies for cutouts.


NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.

1 Select a My-Hite worksurface


My-Hite worksurfaces (starting on page 26)


2 Select a power grommet notch cutout location

| CODE | POSITION |
|--------|---------------------|
| PG5L-C | 11" from left side |
| PG5C-C | Centered |
| PG5R-C | 11" from right side |










120° and 90° worksurfaces


CODE POSITION (Specific to 120° and 90°)

PG5L-C 4.5" from left side
PG5R-C 4.5" from right side

Positions for 120° worksurfaces:

Positions for 90° equal corner worksurfaces:





Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 65. An upcharge of \$75 applies for cutouts.


NOTE: Standard position Interior cutouts are not compatible with C-leg bases.


Select a My-Hite worksurface


My-Hite worksurfaces (starting on page 26)


Select a power grommet interior cutout location

| CODE | POSITION |
|------|-------------------------------------|
| PG6L | 11" from left side, 1.5" from back |
| PG6C | Centered, 1.5" from back |
| PG6R | 11" from right side, 1.5" from back |
| PG5L | 11" from left side, 1.5" from back |
| PG5C | Centered, 1.5" from back |
| PG5R | 11" from right side, 1.5" from back |










120° and 90° worksurfaces

| CODE | POSITION (Specific to 120° and 90°) | | | |
|------|--------------------------------------|--|--|--|
| PG6L | 4.5" from left side, 1.5" from back | | | |
| PG6R | 4.5" from right side, 1.5" from back | | | |
| PG5L | 4.5" from left side, 1.5" from back | | | |
| PG5R | 4.5" from right side, 1.5" from back | | | |

Positions for 120° worksurfaces:

PG6L PG5R PG5R

Positions for 90° equal corner worksurfaces:



Power Grommet

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 65.

POWER GROMMETS

6x8


- (2) CAT6 Data Ports
- (4) Power Outlets
- (2) USB Ports

5x8

- (2) CAT6 Data Ports
- (3) Power Outlets
- (2) USB Ports


Brushed aluminum, brushed charcoal and cloud white


3 FINISHES AVAILABLE



power source

Data Port Plate





Product Description

PART #: FVDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

Product Notes

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

Dimensions

PART #: FVDPP HEIGHT: 3^{5/8}" WIDTH: 2^{1/8}"


DEPTH: 0.25" (from face of Panel Base Kickplate)


MATERIAL: High impact plastic

How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops

Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only). Specify the Rectangular Extension on page 67.


To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.






To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.







ELEMENTS

Starter/End Element, Single-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and worksurface with access grommet.

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVSES.2448-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White







Worksurface

NON-POWERED, 24" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVSES.2448-N | _ | 48" | 25.5" | | \$1,623 |
| FVSES.2454-N | _ | 54" | 25.5" | | \$1,693 |
| FVSES.2460-N | _ | 60" | 25.5" | | \$1,795 |
| FVSES.2466-N | _ | 66" | 25.5" | | \$1,882 |
| FVSES.2472-N | _ | 72" | 25.5" | | \$1,967 |
| FVSES.2478-N | _ | 78" | 25.5" | | \$2,139 |
| FVSES.2484-N | _ | 84" | 25.5" | | \$2,139 |
| FVSES.2496-N | _ | 96" | 25.5" | | \$2,967 |

NOTES


NON-POWERED, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVSES.3048-N | _ | 48" | 31.5" | | \$1,693 |
| FVSES.3054-N | _ | 54" | 31.5" | | \$1,771 |
| FVSES.3060-N | _ | 60" | 31.5" | | \$1,880 |
| FVSES.3066-N | _ | 66" | 31.5" | | \$1,936 |
| FVSES.3072-N | _ | 72" | 31.5" | | \$2,068 |
| FVSES.3078-N | _ | 78" | 31.5" | | \$2,162 |
| FVSES.3084-N | _ | 84" | 31.5" | | \$2,256 |
| FVSES.3096-N | _ | 96" | 31.5" | | \$3,194 |

Starter/End Element, Single-Sided

POWERED





Support Structure



4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSES.2448-E4 | _ | 48" | 25.5" | | \$1,732 |
| FVSES.2454-E4 | _ | 54" | 25.5" | | \$1,803 |
| FVSES.2460-E4 | _ | 60" | 25.5" | | \$1,905 |
| FVSES.2466-E4 | _ | 66" | 25.5" | | \$1,992 |
| FVSES.2472-E4 | _ | 72" | 25.5" | | \$2,077 |
| FVSES.2478-E4 | _ | 78" | 25.5" | | \$2,164 |
| FVSES.2484-E4 | _ | 84" | 25.5" | | \$2,250 |
| FVSES.2496-E4 | _ | 96" | 25.5" | | \$3,290 |

4-CIRCUIT, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSES.3048-E4 | _ | 48" | 31.5" | | \$1,803 |
| FVSES.3054-E4 | _ | 54" | 31.5" | | \$1,882 |
| FVSES.3060-E4 | _ | 60" | 31.5" | | \$1,991 |
| FVSES.3066-E4 | _ | 66" | 31.5" | | \$2,047 |
| FVSES.3072-E4 | _ | 72" | 31.5" | | \$2,179 |
| FVSES.3078-E4 | _ | 78" | 31.5" | | \$2,273 |
| FVSES.3084-E4 | _ | 84" | 31.5" | | \$2,367 |
| FVSES.3096-E4 | _ | 96" | 31.5" | | \$3,517 |

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet. Data Port Plates are included

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

ORDER EXAMPLE

product #: FVSES.2448-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White


NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, Double-Sided

NON-POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8


support selection: CON1SD Concave or

STRAIGHT LEG

ORDER EXAMPLE

product #: FVSED.4848-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: CONISD





Support Structure

Worksurfaces (2)

NON-POWERED, 48" DEPTH


| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVSED.4848-N | _ | 48" | 49.5" | | \$2,365 |
| FVSED.4854-N | _ | 54" | 49.5" | | \$2,605 |
| FVSED.4860-N | _ | 60" | 49.5" | | \$2,642 |
| FVSED.4866-N | = | 66" | 49.5" | | \$2,781 |
| FVSED.4872-N | _ | 72" | 49.5" | | \$2,919 |
| FVSED.4878-N | _ | 78" | 49.5" | | \$3,059 |
| FVSED.4884-N | _ | 84" | 49.5" | | \$3,369 |
| FVSED.4896-N | _ | 96" | 49.5" | | \$5,114 |


NON-POWERED, 60" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVSED.6048-N | _ | 48" | 61.5" | | \$2,504 |
| FVSED.6054-N | _ | 54" | 61.5" | | \$2,626 |
| FVSED.6060-N | _ | 60" | 61.5" | | \$2,811 |
| FVSED.6066-N | _ | 66" | 61.5" | | \$2,891 |
| FVSED.6072-N | _ | 72" | 61.5" | | \$3,121 |
| FVSED.6078-N | _ | 78" | 61.5" | | \$3,275 |
| FVSED.6084-N | _ | 84" | 61.5" | | \$3,431 |
| FVSED.6096-N | _ | 96" | 61.5" | | \$6,024 |


Starter/End Element, Double-Sided

POWERED





Support Structure



Worksurfaces (2)

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power iumper in the center
- Data Port Plates are included
- If using Concave Support Leg, specify concave support selection.

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

support selection: CON1SD Concave or

STRAIGHT LEG

ORDER EXAMPLE

product #: FVSED.4848-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: CON1SD

4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSED.4848-E4 | _ | 48" | 49.5" | | \$2,630 |
| FVSED.4854-E4 | _ | 54" | 49.5" | | \$2,873 |
| FVSED.4860-E4 | _ | 60" | 49.5" | | \$2,907 |
| FVSED.4866-E4 | _ | 66" | 49.5" | | \$3,047 |
| FVSED.4872-E4 | _ | 72" | 49.5" | | \$3,186 |
| FVSED.4878-E4 | _ | 78" | 49.5" | | \$3,327 |
| FVSED.4884-E4 | _ | 84" | 49.5" | | \$3,635 |
| FVSED.4896-E4 | _ | 96" | 49.5" | | \$5,380 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 60" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSED.6048-E4 | _ | 48" | 61.5" | | \$2,771 |
| FVSED.6054-E4 | _ | 54" | 61.5" | | \$2,892 |
| FVSED.6060-E4 | _ | 60" | 61.5" | | \$3,078 |
| FVSED.6066-E4 | _ | 66" | 61.5" | | \$3,158 |
| FVSED.6072-E4 | _ | 72" | 61.5" | | \$3,387 |
| FVSED.6078-E4 | _ | 78" | 61.5" | | \$3,542 |
| FVSED.6084-E4 | _ | 84" | 61.5" | | \$3,697 |
| FVSED.6096-E4 | _ | 96" | 61.5" | | \$6,291 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, 120° 3 Pack

NON-POWERED

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

support selection: CON2SD Concave or

STRAIGHT LEG



Starter/End Elements:


NOTES


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).

ORDER EXAMPLE

product #: FVSE120.2436-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

support selection: STRAIGHT LEG





Support Structure

Worksurface


NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSE120.2436-N | _ | 36" | 24" | | \$5,858 |
| FVSE120.2442-N | _ | 42" | 24" | | \$6,692 |
| FVSE120.2448-N | - | 48" | 24" | | \$7,482 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, 120° 3 Pack

POWERED



DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and three worksurfaces with access grommet. Data Port Plates are included

NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).

Powered:


- Includes a 4-circuit power block.
- Order 4-circuit power infeed and duplexes separately.
- To connect one Starter/End element to another element, order a jumper to connect element to element - pg 63
- Each grommet has 2 duplex locations
- Data Port Plates are included

SPECIFICATION OPTIONS


product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8 support selection: CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

product #: FVSE120.2436-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: STRAIGHT LEG



Support Structure



Worksurface

POWERED, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------------|--------|-------|-------|-----------|---------|
| FVSE120.2436-E4 | _ | 36" | 49.5" | | \$6,847 |
| FVSE120.2442-E4 | _ | 42" | 49.5" | | \$7,680 |
| FVSE120.2448-E4 | _ | 48" | 49.5" | | \$8,471 |

- This part # includes (1) 4-circuit power block
- This part # includes (3) festoons, (2) iumpers
- To connect one Starter/End element to another element, order (1) 48" jumper
- Order 4-circuit power infeed and duplexes separately

Extension Element, Single-Sided

NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and worksurface with access grommet.

NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

ORDER EXAMPLE

product #: FVES.2448-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White







Worksurface

NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|---------|
| FVES.2448-N | _ | 48" | 25.5" | | \$1,777 |
| FVES.2454-N | _ | 54" | 25.5" | | \$1,847 |
| FVES.2460-N | _ | 60" | 25.5" | | \$1,950 |
| FVES.2466-N | _ | 66" | 25.5" | | \$2,036 |
| FVES.2472-N | _ | 72" | 25.5" | | \$2,121 |
| FVES.2478-N | _ | 78" | 25.5" | | \$2,209 |
| FVES.2484-N | _ | 84" | 25.5" | | \$2,293 |
| FVES.2496-N | _ | 96" | 25.5" | | \$3,192 |

NON-POWERED, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|---------|
| FVES.3048-N | _ | 48" | 31.5" | | \$1,847 |
| FVES.3054-N | _ | 54" | 31.5" | | \$1,926 |
| FVES.3060-N | _ | 60" | 31.5" | | \$2,033 |
| FVES.3066-N | _ | 66" | 31.5" | | \$2,091 |
| FVES.3072-N | _ | 72" | 31.5" | | \$2,223 |
| FVES.3078-N | _ | 78" | 31.5" | | \$2,316 |
| FVES.3084-N | _ | 84" | 31.5" | | \$2,411 |
| FVES.3096-N | _ | 96" | 31.5" | | \$3,363 |

Extension Element, Single-Sided

POWERED





Support Structure



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet.

Data Port Plates are included

NOTES

Extension Elements:

- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

ORDER EXAMPLE

product #: FVES.2448-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

4-CIRCUIT, 24" DEPTH

| PARI# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST | |
|--------------|--------|-------|-------|-----------|---------|--|
| FVES.2448-E4 | _ | 48" | 25.5" | | \$1,888 | |
| FVES.2454-E4 | _ | 54" | 25.5" | | \$1,958 | |
| FVES.2460-E4 | _ | 60" | 25.5" | | \$2,060 | |
| FVES.2466-E4 | _ | 66" | 25.5" | | \$2,146 | |
| FVES.2472-E4 | _ | 72" | 25.5" | | \$2,232 | |
| FVES.2478-E4 | _ | 78" | 25.5" | | \$2,319 | |
| FVES.2484-E4 | _ | 84" | 25.5" | | \$2,405 | |
| FVES.2496-E4 | _ | 96" | 25.5" | | \$3,516 | |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately


4-CIRCUIT, 30" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVES.3048-E4 | _ | 48" | 31.5" | | \$1,958 |
| FVES.3054-E4 | _ | 54" | 31.5" | | \$2,036 |
| FVES.3060-E4 | _ | 60" | 31.5" | | \$2,145 |
| FVES.3066-E4 | _ | 66" | 31.5" | | \$2,201 |
| FVES.3072-E4 | _ | 72" | 31.5" | | \$2,332 |
| FVES.3078-E4 | _ | 78" | 31.5" | | \$2,427 |
| FVES.3084-E4 | _ | 84" | 31.5" | | \$2,522 |
| FVES.3096-E4 | _ | 96" | 31.5" | | \$3,686 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, Double-Sided

NON-POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough and two worksurfaces with access grommet.

NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)


SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVED.4848-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White





Support Structure

Worksurfaces (2)

NON-POWERED, 48" DEPTH


| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|---------|
| FVED.4848-N | _ | 48" | 49.5" | | \$2,763 |
| FVED.4854-N | = | 54" | 49.5" | | \$2,872 |
| FVED.4860-N | _ | 60" | 49.5" | | \$3,041 |
| FVED.4866-N | _ | 66" | 49.5" | | \$3,179 |
| FVED.4872-N | _ | 72" | 49.5" | | \$3,319 |
| FVED.4878-N | _ | 78" | 49.5" | | \$3,458 |
| FVED.4884-N | _ | 84" | 49.5" | | \$3,596 |
| FVED.4896-N | _ | 96" | 49.5" | | \$7,098 |


NON-POWERED, 60" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|---------|
| FVED.6048-N | _ | 48" | 61.5" | | \$2,903 |
| FVED.6054-N | _ | 54" | 61.5" | | \$3,024 |
| FVED.6060-N | _ | 60" | 61.5" | | \$3,041 |
| FVED.6066-N | _ | 66" | 61.5" | | \$3,290 |
| FVED.6072-N | _ | 72" | 61.5" | | \$3,520 |
| FVED.6078-N | _ | 78" | 61.5" | | \$3,675 |
| FVED.6084-N | _ | 84" | 61.5" | | \$3,829 |
| FVED.6096-N | _ | 96" | 61.5" | | \$7,628 |


Extension Element, Double-Sided

POWERED





Support Structure



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

Extension Elements:

- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.

Powered:

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper and duplexes separately.
- Each grommet has 2 duplex locations
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

ORDER EXAMPLE

product #: FVED.4848-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

Worksurfaces (2)

4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVED.4848-E4 | _ | 48" | 49.5" | | \$3,030 |
| FVED.4854-E4 | _ | 54" | 49.5" | | \$3,137 |
| FVED.4860-E4 | - | 60" | 49.5" | | \$3,307 |
| FVED.4866-E4 | - | 66" | 49.5" | | \$3,447 |
| FVED.4872-E4 | - | 72" | 49.5" | | \$3,587 |
| FVED.4878-E4 | _ | 78" | 49.5" | | \$3,725 |
| FVED.4884-E4 | - | 84" | 49.5" | | \$3,864 |
| FVED.4896-E4 | _ | 96" | 49.5" | | \$7,365 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 60" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|---------|
| FVED.6048-E4 | _ | 48" | 61.5" | | \$3,171 |
| FVED.6054-E4 | _ | 54" | 61.5" | | \$3,292 |
| FVED.6060-E4 | _ | 60" | 61.5" | | \$3,307 |
| FVED.6066-E4 | _ | 66" | 61.5" | | \$3,557 |
| FVED.6072-E4 | _ | 72" | 61.5" | | \$3,788 |
| FVED.6078-E4 | _ | 78" | 61.5" | | \$3,942 |
| FVED.6084-E4 | _ | 84" | 61.5" | | \$4,096 |
| FVED.6096-E4 | _ | 96" | 61.5" | | \$7,893 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, 120° 3 Pack

NON-POWERED

DESCRIPTION

Starter/End Elements:

NOTES


Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE


product #: FVE120.2436-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White






Order another Starter/End Element

(required) separately to complete run.





Support Structure

Worksurface


NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVE120.2436-N | - | 36" | 24" | | \$6,048 |
| FVE120.2442-N | _ | 42" | 24" | | \$6,882 |
| FVE120.2448-N | - | 48" | 24" | | \$7,757 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, 120° 3 Pack

POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and (3) worksurfaces with access grommets. Data Port Plates are included

NOTES

Extension Elements:

- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).

Powered:


- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper, and duplexes separately.
- Each grommet has 2 duplex locations
- Data Port Plates are included


SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVE120.2436-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White








Worksurface

POWERED, 24" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVE120.2436-E4 | _ | 36" | 25.5" | | \$7,034 |
| FVE120.2442-E4 | _ | 42" | 25.5" | | \$7,870 |
| FVE120.2448-E4 | _ | 48 " | 25.5" | | \$8,745 |

Stand-Alone Element, Single-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and worksurfaces with (2) access grommets.

NOTES

Stand-Alone Elements:

- Order support legs separately
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: seepage 8
finish: see page 8

ORDER EXAMPLE

product #: FVSAES.2496-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White





Support Structure

Worksurface

NON-POWERED, 24" DEPTH


| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAES.2496-N | _ | 96" | 25.5" | | \$3,192 |

NON-POWERED, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAES.3096-N | _ | 96" | 31.5" | | \$3,363 |

Stand-Alone Element, Single-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and one worksurface with (2) access grommets.

NOTES

Stand-Alone Elements:

Order support legs separately

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVSAES.2448-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

24" DEPTH

Support Structure

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAES.2448-N | _ | 48" | 25.5" | | \$1,558 |
| FVSAES.2450-N | _ | 50" | 25.5" | | \$1,589 |
| FVSAES.2454-N | _ | 54" | 25.5" | | \$1,622 |
| FVSAES.2460-N | _ | 60" | 25.5" | | \$1,729 |
| FVSAES.2462-N | _ | 62" | 25.5" | | \$1,772 |
| FVSAES.2466-N | _ | 66" | 25.5" | | \$1,816 |
| FVSAES.2472-N | _ | 72" | 25.5" | | \$1,901 |
| FVSAES.2478-N | _ | 78" | 25.5" | | \$1,986 |
| FVSAES.2484-N | _ | 84" | 25.5" | | \$2,074 |


Worksurface


30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAES.3048-N | _ | 48" | 31.5" | | \$1,628 |
| FVSAES.3050-N | _ | 50" | 31.5" | | \$1,665 |
| FVSAES.3054-N | _ | 54" | 31.5" | | \$1,705 |
| FVSAES.3060-N | _ | 60" | 31.5" | | \$1,814 |
| FVSAES.3062-N | _ | 62" | 31.5" | | \$1,842 |
| FVSAES.3066-N | _ | 66" | 31.5" | | \$1,870 |
| FVSAES.3072-N | _ | 72" | 31.5" | | \$2,002 |
| FVSAES.3078-N | _ | 78" | 31.5" | | \$2,096 |
| FVSAES.3084-N | _ | 84" | 31.5" | | \$2,190 |

Stand-Alone Element, Single-Sided

POWERED





Support Structure



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

NOTES

Stand-Alone Elements:

- Order support legs separately
- 96"W worksurfaces have two grommets
- 96" worksurfaces require a center support. Order separately

Powered:

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center (order separately)
- Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVSAES.2496-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAES.2496-E4 | _ | 96" | 25.5" | | \$3,516 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately


4-CIRCUIT, 30" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAES.3096-E4 | _ | 96" | 31.5" | | \$3,686 |


- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

Stand-Alone Element, Single-Sided POWERED





Support Structure



Worksurface

DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

NOTES

Stand-Alone Elements:

· Order support legs separately

Powered:

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- · Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

ORDER EXAMPLE

product #: FVSAES.2448-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

4-CIRCUIT, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAES.2448-E4 | _ | 48" | 25.5" | | \$1,628 |
| FVSAES.2450-E4 | _ | 50" | 25.5" | | \$1,659 |
| FVSAES.2454-E4 | _ | 54" | 25.5" | | \$1,692 |
| FVSAES.2460-E4 | _ | 60" | 25.5" | | \$1,799 |
| FVSAES.2462-E4 | _ | 62" | 25.5" | | \$1,878 |
| FVSAES.2466-E4 | _ | 66" | 25.5" | | \$1,886 |
| FVSAES.2472-E4 | _ | 72" | 25.5" | | \$1,972 |
| FVSAES.2478-E4 | _ | 78" | 25.5" | | \$2,056 |
| FVSAES.2484-E4 | _ | 84" | 25.5" | | \$2,144 |
| | | | | | |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately


4-CIRCUIT, 30" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAES.3048-E4 | _ | 48" | 31.5" | | \$1,698 |
| FVSAES.3050-E4 | _ | 50" | 31.5" | | \$1,737 |
| FVSAES.3054-E4 | _ | 54" | 31.5" | | \$1,775 |
| FVSAES.3060-E4 | _ | 60" | 31.5" | | \$1,884 |
| FVSAES.3062-E4 | _ | 62" | 31.5" | | \$1,912 |
| FVSAES.3066-E4 | _ | 66" | 31.5" | | \$1,940 |
| FVSAES.3072-E4 | _ | 72" | 31.5" | | \$2,072 |
| FVSAES.3078-E4 | _ | 78" | 31.5" | | \$2,166 |
| FVSAES.3084-E4 | _ | 84" | 31.5" | | \$2,260 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

Stand-Alone Element, Double-Sided

NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

NOTES

Stand-Alone Elements:

- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.
- 96" wide elements require a center support leg (ordered separately)


SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8

support selection: CON1SD Concave or CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

product #: FVSAED.4848-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: CON2SD







Support Structure

Worksurfaces (2)

NON-POWERED, 48" DEPTH


| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAED.4848-N | _ | 48" | 49.5" | | \$2,107 |
| FVSAED.4854-N | _ | 54" | 49.5" | | \$2,210 |
| FVSAED.4860-N | _ | 60" | 49.5" | | \$2,384 |
| FVSAED.4866-N | _ | 66" | 49.5" | | \$2,522 |
| FVSAED.4872-N | _ | 72" | 49.5" | | \$2,660 |
| FVSAED.4878-N | _ | 78" | 49.5" | | \$2,799 |
| FVSAED.4884-N | _ | 84" | 49.5" | | \$2,937 |
| FVSAED.4896-N | _ | 96" | 49.5" | | \$4,682 |

NON-POWERED, 60" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVSAED.6048-N | _ | 48" | 61.5" | | \$2,247 |
| FVSAED.6054-N | = | 54" | 61.5" | | \$2,368 |
| FVSAED.6060-N | _ | 60" | 61.5" | | \$2,552 |
| FVSAED.6066-N | _ | 66" | 61.5" | | \$2,631 |
| FVSAED.6072-N | _ | 72" | 61.5" | | \$2,861 |
| FVSAED.6078-N | _ | 78" | 61.5" | | \$3,016 |
| FVSAED.6084-N | _ | 84" | 61.5" | | \$3,168 |
| FVSAED.6096-N | _ | 96" | 61.5" | | \$5,592 |

Stand-Alone Element, Double-Sided

POWERED



Support Structure



Worksurfaces (2)

DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet.

Data Port Plates are included

NOTES

Stand-Alone Elements:

- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.

Powered:

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, jumper and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center
- Data Port Plates are included

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

support selection: CON1SD Concave or CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

product #: FVSAED.4848-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: CON2SD

4-CIRCUIT, 48" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAED.4848-E4 | _ | 48" | 49.5" | | \$2,373 |
| FVSAED.4854-E4 | _ | 54" | 49.5" | | \$2,476 |
| FVSAED.4860-E4 | _ | 60" | 49.5" | | \$2,651 |
| FVSAED.4866-E4 | _ | 66" | 49.5" | | \$2,788 |
| FVSAED.4872-E4 | _ | 72" | 49.5" | | \$2,888 |
| FVSAED.4878-E4 | _ | 78" | 49.5" | | \$3,066 |
| FVSAED.4884-E4 | _ | 84" | 49.5" | | \$3,203 |
| FVSAED.4896-E4 | _ | 96" | 49.5" | | \$4,948 |

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately


4-CIRCUIT, 60" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|---------|
| FVSAED.6048-E4 | _ | 48" | 61.5" | | \$2,513 |
| FVSAED.6054-E4 | _ | 54" | 61.5" | | \$2,635 |
| FVSAED.6060-E4 | _ | 60" | 61.5" | | \$2,820 |
| FVSAED.6066-E4 | _ | 66" | 61.5" | | \$2,900 |
| FVSAED.6072-E4 | _ | 72" | 61.5" | | \$3,128 |
| FVSAED.6078-E4 | _ | 78" | 61.5" | | \$3,282 |
| FVSAED.6084-E4 | _ | 84" | 61.5" | | \$3,435 |
| FVSAED.6096-E4 | _ | 96" | 61.5" | | \$5,858 |

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Stand-Alone Element, 120° 3 Pack

NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

NOTES


- Cannot be part of a longer run. Can be placed next to units built with Elements.
- Order legs separately.
- Wire management troughs connect unit alone, do not connect to adjacent elements.

SPECIFICATION OPTIONS


product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8 support selection: CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

product #: FVSA120.2436-N worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: STRAIGHT LEG








Worksurface

NON-POWERED, 24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------------|--------|-------|-------|-----------|---------|
| FVSAE120.2436-N | _ | 36" | 24" | | \$5,444 |
| FVSAE120.2442-N | _ | 42" | 24" | | \$6,503 |
| FVSAE120.2448-N | _ | 48" | 24" | | \$7,206 |

Stand-Alone Element, 120° 3 Pack

POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

Jumpers for each top

Data Port Plates are included

NOTES

- Cannot be part of a longer run. Can be placed next to units built with Elements.
- Order legs separately
- Wire management troughs connect unit alone, do not connect to adjacent elements.

Powered:

- Includes a 4-circuit power block.
- Order 4-circuit power infeed, and duplexes separately.
- Each grommet has 2 duplex locations
- Data Port Plates are included


SPECIFICATION OPTIONS


product #: see charts below
worksurface finish: see page 8
edge finish: see page 8
finish: see page 8


support selection: CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

product #: FVSA120.2436-E4 worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White support selection: STRAIGHT LEG







Worksurface

POWERED, 24" DEPTH

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------------|--------|-------|-------|-----------|---------|
| FVSAE120.2436-E4 | _ | 36" | 24" | | \$6,658 |
| FVSAE120.2442-E4 | _ | 42" | 24" | | \$7,492 |
| FVSAE120.2448-E4 | _ | 48" | 24" | | \$8,195 |

Worksurface Supports, Single-Sided

FOR START/END OF RUN

DESCRIPTION

Worksurface supports for single-sided Starter/End Elements.

SPECIFICATION OPTIONS

product #: see charts below finish: see page 8

left or right (if applicable): L for Left, R for Right

NOTES

- · Specify paint finish.
- Specify the correct size for unit.

ORDER EXAMPLE

product #: FVTLS.24
finish: CW Cloud White

left or right (if applicable): L for Left

TRIANGLE LEG SINGLE-SIDED 25.5" WIDE



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|-------|-----------|-------|
| FVTLS.24L | _ | 25.5" | _ | _ | \$234 |
| FVTLS.24R | _ | 25.5" | _ | _ | \$234 |

NOTES

For single-sided 24" deep units. For use at the start or end of a run only. Specify L for Left and R for Right.

TRIANGLE LEG SINGLE-SIDED 31.5" WIDE




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|-------|-----------|-------|
| FVTLS.30L | _ | 31.5" | _ | _ | \$251 |
| FVTLS.30R | _ | 31.5" | _ | _ | \$251 |

NOTES

For single-sided 30" deep units. For use at the start or end of a run only.

Specify L for Left and R for Right.

TRAPEZOID LEG SINGLE-SIDED 25.5" WIDE




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVTZLS.24L | _ | 25.5" | _ | _ | \$315 |
| FVTZLS.24R | _ | 25.5" | _ | _ | \$315 |

NOTES

For single-sided 24" deep units. For use at the start or end of a run only.

Specify L for Left and R for Right.

TRAPEZOID LEG SINGLE-SIDED 31.5" WIDE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVTZLS.30L | - | 25.5" | _ | _ | \$345 |
| FVTZLS.30R | _ | 25.5" | _ | _ | \$345 |

NOTES

For single-sided 30" deep units. For use at the start or end of a run only.

Specify L for Left and R for Right.

Worksurface Supports, Single-Sided

FOR START/END OF A RUN continued

TAPER LEG SINGLE-SIDED 24"/30"



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVATPS.24L | _ | 24" | _ | _ | \$683 |
| FVATPS.24R | _ | 24" | _ | _ | \$683 |
| FVATPS.30L | _ | 30" | _ | _ | \$691 |
| FVATPS.30R | _ | 30" | _ | _ | \$691 |

INSET LEG SINGLE-SIDED 24"/30"



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVAINS.24L | _ | 24" | _ | - | \$614 |
| FVAINS.24R | _ | 24" | _ | _ | \$614 |
| FVAINS.30L | _ | 30" | _ | - | \$624 |
| FVAINS.30R | _ | 30" | _ | _ | \$624 |

Worksurface Supports, Single-Sided

FOR CENTER OF A RUN

DESCRIPTION

Worksurface supports for single-sided Extension Elements.

SPECIFICATION OPTIONS

product #: see charts below finish: CW Cloud White

NOTES

- Not for use with Stand Alone Elements.
- Specify paint finish.
- Specify the correct size for unit.

ORDER EXAMPLE

product #: FVCLS-O
finish: CW Cloud White

OPEN CENTER LEG SINGLE-SIDED 24"/30" DEEP UNIT



| PART # | TIEIGITI | *************************************** | | WT. (LBS) | |
|---------|----------|---|---|-----------|-------|
| FVCLS-O | _ | _ | _ | _ | \$343 |

NOTES

- For single-sided 24" or 30" deep units.
- For use at the center of a run only.
- Leg style is open.

ENCLOSED CENTER LEG SINGLE-SIDED 24"/30" DEEP UNIT



| FVCLS-C | _ | _ | _ | _ | \$669 |
|---------|--------|-------|-------|-----------|-------|
| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |

NOTES

- For single-sided 24" or 30"
- deep units.
- For use at the center of a run only.
- Leg style is enclosed.

TAPER LEG SINGLE-SIDED 24"/30"



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVCATPS.24 | _ | 24" | _ | _ | \$718 |
| FVCATPS.30 | _ | 30" | _ | _ | \$726 |

NOTES

- For single-sided 24" or 30"
- deep units.
- For use at the center of a run only.
- Leg style is open.

INSET LEG SINGLE-SIDED 24"/30"



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVCAINS.24 | - | 24" | _ | - | \$650 |
| FVCAINS.30 | _ | 30" | _ | _ | \$660 |

NOTES

For single-sided 24" or 30" deep units.

For use at the center of a run only. Leg style is open.

Worksurface Supports, Double-Sided

FOR START/END OF A RUN

DESCRIPTION

SPECIFICATION OPTIONS

Worksurface supports for double-sided Starter/End Elements or stand alone elements product #: see charts below finish: see page 6

NOTES

ORDER EXAMPLE

Specify paint finish.Specify the correct size for unit.

product #: FVTLD.48 finish: CW Cloud White

TRIANGLE LEG DOUBLE-SIDED 49.5" WIDE



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------|--------|-------|-------|-----------|-------|
| FVTLD.48 | _ | 49.5" | _ | _ | \$312 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 24" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

TRIANGLE LEG DOUBLE-SIDED 61.5" WIDE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------|--------|-------|-------|-----------|-------|
| FVTLD.60 | _ | 61.5" | _ | _ | \$336 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 30" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

TRAPEZOID LEG DOUBLE-SIDED 49.5" WIDE



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|-------|-----------|-------|
| FVTZLD.48 | _ | 49.5" | _ | _ | \$480 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 24" deep units.
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

TRAPEZOID LEG DOUBLE-SIDED 61.5" WIDE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|-------|-----------|-------|
| FVTZLD.60 | _ | 61.5" | _ | _ | \$480 |

NOTES

- Worksurface support leg for double-sided structure.
- For double-sided 30" deep units
- For use at the start or end of a run only or stand alone elements.
- Use with straight support beam

WORKSURFACE ATTACHMENT BRACKET PAIR



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------|--------|-------|-------|-----------|------|
| FVFB.08 | _ | 8" | 2" | _ | \$38 |

- Worksurface brackets that attach a single-sided Stand Alone Element at the end of a double-sided run.
- Finish on the bracket pair is BU Burnt Umber.

Worksurface Supports, Double-Sided

FOR CENTER OF A RUN

DESCRIPTION

NOTES

Worksurface supports for double-sided Extension Elements.

Specify the correct size for unit.

SPECIFICATION OPTIONS

product #: see charts below finish: see page 6

Not for use with Stand Alone Elements. product #: FVCLD-O Specify paint finish.

ORDER EXAMPLE

finish: CW Cloud White

OPEN CENTER LEG DOUBLE-SIDED 48"/60" DEEP UNIT




PART# HEIGHT WIDTH DEPTH WT. (LBS) LIST FVCLD-O \$412

NOTES

- For double-sided 24" or 30" deep units.
- For use at the center of a run only.
- Leg style is open.

ENCLOSED CENTER LEG DOUBLE-SIDED 48"/60" DEEP UNIT



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------|--------|-------|-------|-----------|-------|
| FVCLD-C | _ | _ | _ | _ | \$701 |

- For double-sided 24" or 30" deep units.
- For use at the center of a run only.
- Leg style is enclosed.

Taper & Inset End of Run Support

DESCRIPTION

Taper and Inset Legs for use with the Verity system

SPECIFICATION OPTIONS


product #: see charts below
finish: see page 8

NOTES

- Includes straight support bar
- For use at end of run

Straight Support Bar

TAPER LEG




| PART# | HEIGHT | DEPTH | LIST |
|-------------|--------|-------|---------|
| FVSATPLD.48 | 27.5" | 48" | \$987 |
| FVSATPLD.60 | 27.5" | 60" | \$1,003 |

NOTES

- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

INSET LEG



| PART# | HEIGHT | DEPTH | LIST |
|-------------|--------|-------|---------|
| FVSAINLD.48 | 27.5" | 48" | \$1,122 |
| FVSAINLD.60 | 27.5" | 60" | \$1,137 |

- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

Taper & Inset End of Run Support continued

DESCRIPTION

Taper and Inset Legs for use with the Verity system

SPECIFICATION OPTIONS


product #: see charts below
finish: see page 8

NOTES

- Includes concave support bar
- For use at end of run

Concave Support Bar

TAPER LEGS




| PART# | HEIGHT | DEPTH | LIST |
|-------------|--------|-------|---------|
| FVCATPLD.48 | 27.5" | 48" | \$998 |
| FVCATPLD.60 | 27.5" | 60" | \$1.024 |

NOTES

- Attaches to the underside of a worksurface at end of run
- Use with concave support beam
- Order start/end or stand alone element separately

INSET LEGS



| PART# | HEIGHT | DEPTH | LIST |
|--------------|--------|-------|---------|
| FVCAINLD.48 | 27.5" | 48" | \$1,133 |
| EVCAINI D 60 | 27.5" | 60" | \$1161 |

- Attaches to the underside of a worksurface at end of run
- Use with concave support beam
- Order start/end or stand alone element separately

Worksurface Supports, Double-Sided continued

FOR CENTER OF A RUN


CENTER TAPER LEG DOUBLE-SIDED 48"/60" DEEP UNIT

| FVCLD-T | _ | _ | _ | _ | \$1.226 |
|---------|--------|-------|-------|-----------|---------|
| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |

NOTES

For double-sided 24" or 30" deep units.

For use at the center of a run only




CENTER INSET LEG DOUBLE-SIDED 48"/60" DEEP UNIT

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------|--------|-------|-------|-----------|---------|
| FVCLD-I | _ | _ | _ | _ | \$1,090 |


NOTES

For double-sided 24" or 30" deep units.

For use at the center of a run only



Supporting Pedestals



DESCRIPTION

Storage supports elements on one side.

SPECIFICATION OPTIONS

product #: see charts below front, casing & worksurface finish (if applicable): See worksurface laminates on page 8

pull: See page 9

ORDER EXAMPLE

product #: FVBBF.24-LAM front finish: M1 Light Maple worksurface finish: M1 Light Maple casing finish: M29 Raven


NOTES

- Order storage attachment bracket separately.
- Specify worksurface finish for pedestal top and front for drawers and for casing
- Specify pull when ordering
- · Includes pencil tray in top drawer

STORAGE PULL OPTIONS







SUPPORTING BOX/BOX/FILE PEDESTAL 24" DEPTH



PART # HEIGHT WIDTH DEPTH WT. (LBS) LIST FVBBF.24-LAM 29.5" 15.5" 24.75" - \$1,576

- NOTES
 - Supporting laminate pedestal storage with drawers and pulls.
 - Worksurface height.
 - Order storage attachment bracket (Part # FVSS.XX) separately on pg 58
 - · Can be freestanding.
 - Specify worksurface finish for pedestal top, front finish for drawers and for casing.
 - Specify pull when ordering
 - Includes pencil tray in top drawer

Supporting Storage, Pedestals...continued

SUPPORTING BOX/BOX/FILE PEDESTAL 30" DEPTH




| PART # | HEIGHT | WIDTH | DEPTH | WT. | LIST | NOTES |
|--------|--------|-------|-------|-------|------|-------|
| | | | | (LBS) | | |

FVBBF.30-LAM 29.5" 15.5" 30.75" - \$1,703 •

- Supporting laminate pedestal storage with drawers and pulls.
- · Worksurface height.
- Order storage attachment bracket (Part # FVSS.XX) separately on pg 58)
- Can be freestanding.
- Specify worksurface finish for pedestal top, front finish for drawers and for casing.
- Specify pull when ordering
- Includes pencil tray in top drawer

SUPPORTING FILE/FILE PEDESTAL 24" DEPTH




| PART # | HEIGHT | WIDTH | DEPTH | WT. | LIST | NOTES |
|--------|--------|-------|-------|-------|------|-------|
| | | | | (LBS) | | |

FVFF.24-LAM 29.5" 15.5" 24.75" - \$1,576

- Supporting laminate pedestal storage with drawers and pulls.
- Worksurface height.
- Order storage attachment bracket (Part # FVSS.XX) separately on pg 58
- Can be freestanding.
- Specify worksurface finish for pedestal top, front finish for drawers and for casing.
- Specify pull when ordering
- Includes pencil tray in top drawer


SUPPORTING FILE/FILE PEDESTAL 30" DEPTH



| PART # | HEIGHT | WIDTH | DEPTH | WT. | LIST | NC | TES |
|-------------|--------|-------|--------|-------|---------|----|-----|
| | | | | (LBS) | | | |
| FVFF.30-LAM | 29.5" | 15.5" | 30.75" | _ | \$1,703 | • | Sui |

- Supporting laminate pedestal storage with drawers and pulls.
- Worksurface height.
- Order storage attachment bracket (Part # FVSS.XX) separately on pg 58
- · Can be freestanding.
- Specify worksurface finish for pedestal top, front finish for drawers and for casing.
- · Specify pull when ordering
- Includes pencil tray in top drawer

Supporting Credenzas



DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

NOTES

- Specify: Top, Front, Case, Pull & Foot.
- Pulls have color options: specify color when ordering. (See page 9)
- Specify L for left or R for right indicating door pull location.

SPECIFICATION OPTIONS

product #: see charts below
front finish: see page 8
top finish: see page 8
casing finish: see page 8
left or right: L for Left, R for Right

pull: See page 9
foot finish: BU, CW, SV


ORDER EXAMPLE

product #: FVBSC.1860 front finish: M1 Light Maple top finish: M1 Light Maple casing finish: M29 Raven left or right: L for Left

pull: Wedge, brushed aluminum

foot finish: CW

CREDENZA




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|--------|-----------|---------|
| FVBSC.1848 L/R | 21.25" | 48" | 17.75" | _ | \$1,473 |
| FVBSC.1860 L/R | 21.25" | 60" | 17.75" | _ | \$1,667 |
| FVBSC.1872 L/R | 21.25" | 72" | 17.75" | _ | \$1,923 |

NOTES

Specify L for left or R for right indicating door pull location

Specify: Top, Front, Case,
Pull & Foot finish

Supporting Cabinets



DESCRIPTION

Storage support elements on one side.

SPECIFICATION OPTIONS

product #: see charts below front, casing & worksurface finish (if applicable): See worksurface laminates on page 8

fabric: See page 6


ORDER EXAMPLE

product #: FVWSTT.1824 front finish: M1 Light Maple worksurface finish: M1 Light Maple casing finish: M29 Raven fabric: PF401-Silky-Natural

NOTES

- Order storage attachment bracket separately (pg 58).
- Specify worksurface finish for top and for casing
- Specify fabric on page 6

SUPPORTING CABINET: TACKBOARD & BOOKCASE




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|--------|-------|-----------|---------|
| FVWSTT.1824 | 45" | 24.75" | 18" | _ | \$1,471 |
| FVWSTT.1830 | 45" | 30.75" | 18" | _ | \$1,691 |

NOTES

Supporting laminate cabinets with tackboard top and open bookcase bottom on one side, with open top and solid surface on the opposite side. Specify fabric for tackboard.

SUPPORTING CABINET: OPEN & BOOKCASE








| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|--------|-------|-----------|---------|
| FVWSTO.1824 | 45" | 24.75" | 18" | _ | \$1,230 |
| FVWSTO.1830 | 45" | 30.75" | 18" | _ | \$1,364 |

NOTES

Supporting laminate cabinets with open top and open bookcase bottom on one side, with solid surface on the opposite side.

SUPPORTING CABINET: TACKBOARD & SHARED BOOKCASE





| FABRIC TACKBOARD |
|---------------------|
| SOLID LAMINATE |
| SOLID LAMINATE |
| OPEN |
| |
| BACK |

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|--------|-------|-----------|---------|
| FVWSTS.1824 | 45" | 24.75" | 18" | _ | \$1,579 |
| FVWSTS.1830 | 45" | 30.75" | 18" | _ | \$1,858 |

NOTES

Supporting laminate cabinets with tackboard top and shared bookcase bottom on both sides. Shared bookcase has one open shelf and one solid surface on each side. Specify fabric for tackboard.

Supporting Storage Attachment Brackets

DESCRIPTION

Worksurface attachment brackets for use with supporting storage.

product #: see charts below finish: see page 8

SPECIFICATION OPTIONS

ORDER EXAMPLE

product #: FVCLD finish: CW Cloud White

NOTES

- Specify paint finish.
- Specify the correct size for unit.

STORAGE ATTACHMENT **BRACKET, 48" DEEP**



PART# HEIGHT WIDTH DEPTH WT. (LBS) LIST FVSS.24 48' \$227

For use at the start or end of a run only.

Supports two 24" deep tops. Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.

STORAGE ATTACHMENT **BRACKET, 60" DEEP**



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------|--------|-------|-------|-----------|-------|
| FVSS.30 | _ | _ | 60" | _ | \$251 |

NOTES

For use at the start or end of a run only.

Supports two 30" deep tops. Worksurface supporting bracket for attaching pedestal or cabinet. Order one attachment bracket per attachment location.

CREDENZA ATTACHMENT BRACKET **DOUBLE-SIDED** 24"/30" DEEP UNIT




NOTES


For use at the center of a run

For double-sided 24" or 30" deep units.

Used with two supporting credenzas to support the worksurface.



Gallery Panels, Double Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Verity run

NOTES

- Used at the end of a Verity run
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support. Legs are still required

SPECIFICATION OPTIONS

product #: see charts below surface finish: See page 8 finish: see page 8

ORDER EXAMPLE

product #: FVGPEORD.2948 surface finish: M10 Espresso finish: CW


29" HIGH

| PART # | HEIGHT | WIDTH | DEPTH | PRICE |
|---------------|--------|-------|-------|-------|
| FVGPEORD.2948 | 29" | 50.5" | 1" | \$684 |
| FVGPEORD.2960 | 29" | 62.5" | 1" | \$761 |

44" HIGH

| PART # | HEIGHT | WIDTH | DEPTH | PRICE |
|---------------|--------|-------|-------|-------|
| FVGPEORD.4448 | 44" | 50.5" | 1" | \$859 |
| FVGPEORD.4460 | 44" | 62.5" | 1" | \$973 |

Gallery Panels, Single Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Verity run

NOTES

- Used at the end of a Verity run
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support. Legs are still required

SPECIFICATION OPTIONS

product #: see charts below surface finish: See page 8 finish: see page 8

ORDER EXAMPLE

product #: FVGPEORS.2930L surface finish: M10 Espresso finish: CW

29" HIGH

| PART # | HEIGHT | WIDTH | DEPTH | PRICE |
|----------------|--------|-------|-------|-------|
| FVGPEORS.2924L | 29" | 24.5" | 1" | \$529 |
| FVGPEORS.2924R | 29" | 24.5" | 1" | \$529 |
| FVGPEORS.2930L | 29" | 30.5" | 1" | \$567 |
| FVGPEORS.2930R | 29" | 30.5" | 1" | \$567 |

44" HIGH

| PART # | HEIGHT | WIDTH | DEPTH | PRICE | |
|----------------|--------|-------|-------|-------|--|
| FVGPEORS.4424L | 44" | 24.5" | 1" | \$633 | |
| FVGPEORS.4424R | 44" | 24.5" | 1" | \$633 | |
| FVGPEORS.4430L | 44" | 30.5" | 1" | \$690 | |
| FVGPEORS.4430R | 44" | 30.5" | 1" | \$690 | |

Electrical Distribution

DESCRIPTION

Electrical distribution components.

NOTES

ORDER EXAMPLE

product #: FVBPI.4CIR

4-CIRCUIT POWER INFEED



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVBPI.4CIR | _ | 6' | _ | _ | \$452 |

NOTES

Hardwire power infeed for use with 4-circuit power distribution.

MUST BE HARDWIRED BY AN ELECTRICIAN.

POWER POLE

| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------|--------|-------|-------|-----------|-------|
| FVPP-S | _ | _ | _ | _ | \$992 |
| FVPP-D | _ | _ | _ | _ | \$992 |

NOTES


Connects a ceiling electrical supply to the trough of a powered element. Distributes up to four 20-amp circuits.

Includes a rigid conduit and conduit connector, factory installed power harness, 12' pole.

- Attaches to Single side unit order FVPP-S.
- Double sided order FVPP-D. Available in CW only.

MUST BE HARDWIRED BY AN ELECTRICIAN.

RECEPTACLE 4-CIRCUITS



| PART# | DESCRIPTION | LIST |
|-----------------|-----------------------|------|
| FVRECP.I | circuit A | \$37 |
| FVRECP.II | circuit B | \$37 |
| FVRECP.III | circuit C | \$37 |
| FVRECP.IIII | circuit D (dedicated) | \$37 |
| FVRECP.II-CONT | circuit B | \$37 |
| FVRECP.III-CONT | circuit C | \$37 |

NOTES

Provides access to I, II, III, IIII circuit.

Provides dedicated circuit with "IIII" receptacle.

Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24

WIRE MANAGER



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------|--------|-------|-------|-----------|-------|
| FVWM | 28" | _ | _ | _ | \$168 |

NOTES


A housing that conceals power & other wires from the floor to the trough.

Wire manager is 6.5" wide x 2" deep

CW, BU, or SV finish.

Electrical Distribution continued

DATA PORT PLATE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------|--------|-------|-------|-----------|------|
| FVDPP | 2.125 | 3.625 | 0.25 | 0.10 | \$61 |

NOTES

For use with non-powered structures only.

Includes four port locations and comes with one blank insert.

Data port plates are included with powered Elements.

Available in BU, CW, SV


DOUBLE SIDED CONNECTING TROUGH



NOTES

Included in the elements and sold here separately for special situations.






| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------|--------|-------|-------|-----------|-------|
| FV-SCT | _ | _ | _ | _ | \$130 |

NOTES

Included in the elements and sold here separately for special situations.

DOUBLE SIDED TROUGH, POWERED




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------|--------|-------|-------|-----------|-------|
| FV-DT-E4 | _ | _ | _ | _ | \$497 |

NOTES

Included in the elements and sold here separately for special situations.

Order Duplexes/infeed jumpers seperate

SINGLE SIDED TROUGH, POWERED



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------|--------|-------|-------|-----------|-------|
| FV-ST-E4 | _ | - | _ | _ | \$254 |

NOTES

Included in the elements and sold here separately for special situations.

Order Duplexes/infeed jumpers seperate

Electrical Distribution continued

4-CIRCUIT POWER JUMPER



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|-------|-----------|-------|
| FVJUMP.48 | - | 40" | - | _ | \$355 |
| FVJUMP.54 | _ | 46" | _ | _ | \$385 |
| FVJUMP.60 | _ | 52" | - | - | \$427 |
| FVJUMP.66 | _ | 58" | _ | _ | \$465 |
| FVJUMP.72 | _ | 64" | _ | _ | \$499 |
| FVJUMP.78 | _ | 70" | _ | _ | \$538 |
| FVJUMP.84 | _ | 76" | _ | _ | \$580 |

NOTES

Connects power from one Element to another.

For a 96"W element, order one additional for middle 48" power jumper, FVJUMP.48.

When connecting two elements of equal width, order Power Jumper to match width of elements

When connecting two elements of different width, reference chart below for applicale Jumper size.

Power Jumper Sizing Chart

| | 48 | 54 | 60 | 66 | 72 | 78 | 84 |
|----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 48 | FVJUMP.48 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 |
| 54 | FVJUMP.54 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 |
| 60 | FVJUMP.54 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 |
| 66 | FVJUMP.60 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 |
| 72 | FVJUMP.60 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 |
| 78 | FVJUMP.66 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 |
| 84 | FVJUMP.66 | FVJUMP.72 | FVJUMP.72 | FVJUMP.78 | FVJUMP.78 | FVJUMP.84 | FVJUMP.84 |

Example Jumper Calculation

Calculate the jumper needed between element A and element B.


- Step 1 Take the width of the first element and find that number in the left column.

 A is 54" and 54 is the second row down in the table.
- Step 2 Take the width of the second element and find that number across the top. B is 78" and 78 is sixth column to the right.
- Step 3 Where the row and column intersect that is the required jumper needed. 54 and 78 intersects at FVJUMP.66.



Electrical Distribution continued

CHICAGO POWER BOX SINGLE-SIDED




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------|--------|-------|-------|-----------|-------|
| FVCPB.S | | | | | \$114 |
| | | | | | |

NOTES

- Chicago Power Boxes house electrical components provided by others
- For use with non-powered Verity elements
- Can accommodate 2 duplexes (provided by others)


CHICAGO POWER BOX DOUBLE-SIDED



PART # HEIGHT WIDTH DEPTH WT. (LBS) LIST FVCPB.D \$150

- Chicago Power Boxes house electrical components provided by others
- For use with non-powered Verity elements
- Can accomodate 4 duplexes (provided by others)


Power Grommet Worksurface Mounted



| DESCRIPTION | SPECIFICATION OPTIONS | | | |
|--|---|--|--|--|
| Worksurface mounted power/ data grommet | product #: see charts below finish: BA Brushed Aluminum, BC Brushed Charcoal o CW Cloud White (contact Customer Success for lead time) | | | |
| NOTES | ORDER EXAMPLE | | | |
| Power grommets for use with ancillary tops only, Verity Elements include built-in power access. Includes 10' coiled power cord to connect to power source, or daisy chain to next | product #: FPWR.0608 finish: BA Brushed Aluminum | | | |


power grommet

POWER GROMMET, 5x8



| PART # | HEIGHT | WIDTH | DEPTH | PRICE | NOTES |
|-----------|--------|-------|-------|-------|---|
| FPWR.0508 | | 8" | 5" | \$695 | Worksurface mounted power/data grommet, 5x8 Includes 10' coiled power cord to connect to power source Distributes up to 10 amps Above Worksurface: (2) CAT6 data ports (out), (2) power outlets, (2) USB ports Below Worksurface: (2) CAT6 data ports (in), (1) power outlet, Daisy Chain |

POWER GROMMET, 6x8




| PART # | HEIGHT | WIDTH | DEPTH | PRICE | NO | OTES |
|-----------|--------|-------|-------|-------|----|-----------------|
| FPWR.0608 | | 8" | 6" | \$695 | • | Worksurface mo |
| | | | | | | power/data grou |

nounted ommet, 6x8

ports (in/out)

- Includes 10' coiled power cord to connect to power source
- Distributes up to 10 amps
- Above Worksurface:
- (2) CAT6 data ports (out), (2) power outlets, (2) USB ports
- Below Worksurface: (2) CAT6 data ports (in), (2) power outlets, Daisy Chain ports (in/out)

Rectangular Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add circular grommet (add \$75 list)
 Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: worksurface finish:
see page 8

ORDER EXAMPLE

product #: FVRSW.2370 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet: GC (Rear Center)

RECTANGULAR WORKSURFACE

| PART# | DEPTH | WIDTH | PRICE | NOTES |
|------------|-------|-------|---------|------------------------------|
| FVRWS.2340 | 23" | 40" | \$380 | Sizes are actual for example |
| FVRWS.2346 | 23" | 46" | \$392 | FVRSW.2358 is 23" x 58" |
| FVRWS.2352 | 23" | 52" | \$463 | |
| FVRWS.2358 | 23" | 58" | \$474 | |
| FVRWS.2364 | 23" | 64" | \$545 | |
| FVRWS.2370 | 23" | 70" | \$561 | |
| FVRWS.2376 | 23" | 76" | \$684 | |
| FVRWS.2382 | 23" | 82" | \$691 | |
| | | | | |
| FVRWS.2940 | 29" | 40" | \$449 | |
| FVRWS.2946 | 29" | 46" | \$463 | |
| FVRWS.2952 | 29" | 52" | \$547 | |
| FVRWS.2958 | 29" | 58" | \$561 | |
| FVRWS.2964 | 29" | 64" | \$650 | |
| FVRWS.2970 | 29" | 70" | \$664 | |
| FVRWS2976 | 29" | 76" | \$818 | |
| FVRWS.2982 | 29" | 82" | \$824 | |
| | | | | |
| FVRWS.3540 | 35" | 40" | \$473 | |
| FVRWS.3546 | 35" | 46" | \$480 | |
| FVRWS.3552 | 35" | 52" | \$843 | |
| FVRWS.3558 | 35" | 58" | \$852 | |
| FVRWS.3564 | 35" | 64" | \$862 | |
| FVRWS.3570 | 35" | 70" | \$871 | |
| FVRWS.3576 | 35" | 76" | \$879 | |
| FVRWS.3582 | 35" | 82" | \$1,005 | |

Rectangular Extension

Worksurfaces For Use w/ MY-HITE Base

DESCRIPTION

Laminate worksurface, for use with extended curved corner worksurfaces, not for use alone.

NOTES

- For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only
- Not for use alone, nor with straight
 hases
- Maximum width combined: 72x96" or 84x84"

SPECIFICATION OPTIONS


product #: See charts below
worksurface finish: See page 8

ORDER EXAMPLE

product #: FVRWS.2324
worksurface: Light Maple, M1

RECTANGULAR WORKSURFACE


With Flat Brackets installed



| PART # | DEPTH "A" | WIDTH "E" | LIST |
|------------|-----------|-----------|-------|
| FVRWS.2324 | 23" | 24" | \$299 |
| FVRWS.2330 | 23" | 30" | \$342 |
| FVRWS.2336 | 23" | 36" | \$353 |
| FVRWS.2924 | 29" | 24" | \$396 |
| FVRWS.2930 | 29" | 30" | \$451 |
| FVRWS.2936 | 29" | 36" | \$464 |

NOTES

• Standard default grain direction is left to right (See left)




| PART # | DEPTH "A" | WIDTH "E" | LIST |
|---------------|-----------|-----------|-------|
| FVRWS.2324-CG | 23" | 24" | \$357 |
| FVRWS.2330-CG | 23" | 30" | \$409 |
| FVRWS.2336-CG | 23" | 36" | \$423 |
| FVRWS.2924-CG | 29" | 24" | \$475 |
| FVRWS.2930-CG | 29" | 30" | \$542 |
| FVRWS.2936-CG | 29" | 36" | \$557 |

NOTES

• Cross grain direction is front to back (See left)

FLAT BRACKET



| PART# | WIDTH | DEPTH | PRICE | NOTES |
|---------|-------|-------|-------|---|
| FVFB.08 | 8" | 2" | \$38 | Used to unite two worksurfaces supported by one base |
| | | | | Black finish |
| | | | | Sold in pairs |

ANTI-SAG BARS




| PART # | WIDTH | LIST | NOTES |
|----------|-------|-------|---|
| FWASB.42 | 42" | \$120 | Anti-Sag bar, 42" wide with (8) screws. For use with 48 & 54" worktops |
| FWASB.54 | 54" | \$153 | • Anti-Sag bar, 54" wide with (10) screws. For use with 60 & 66" |
| FWASB.66 | 66" | \$185 | worktops • Anti-Sag bar, 66" wide with (12) screws. For use with 72 & 78" worktops |

67

The products listed in this pricer are manufactured by Friant & Associates, LLC. Any reference or similarity to the products of an original equipment manufacturer (O.E.M.) is not an expression of their approval or authorization.

Wedge Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list) Specify GL, GC, GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: worksurface finish:
see page 8

ORDER EXAMPLE

product #:FVWDWS.234029 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: GC (Rear Center)


23"D LEFT 29"D RIGHT

| PART # | А | В | С | D | PRICE |
|---------------|-----|-----|-----|---|-------|
| FVWDWS.234029 | 23" | 40" | 29" | _ | \$444 |
| FVWDWS.234629 | 23" | 46" | 29" | _ | \$452 |
| FVWDWS.235229 | 23" | 52" | 29" | _ | \$514 |
| FVWDWS.235829 | 23" | 58" | 29" | _ | \$550 |
| FVWDWS.236429 | 23" | 64" | 29" | _ | \$614 |
| FVWDWS.237029 | 23" | 70" | 29" | _ | \$628 |
| FVWDWS.237629 | 23" | 76" | 29" | _ | \$729 |

29"D LEFT 23"D RIGHT

| PART# | Α | В | С | D | PRICE |
|---------------|-----|-----|-----|---|-------|
| FVWDWS.294023 | 29" | 40" | 23" | _ | \$444 |
| FVWDWS.294623 | 29" | 46" | 23" | _ | \$452 |
| FVWDWS.295223 | 29" | 52" | 23" | _ | \$514 |
| FVWDWS.295823 | 29" | 58" | 23" | _ | \$550 |
| FVWDWS.296423 | 29" | 64" | 23" | _ | \$614 |
| FVWDWS.297023 | 29" | 70" | 23" | _ | \$628 |
| FVWDWS.297623 | 29" | 76" | 23" | _ | \$729 |

D-Shaped Worksurface For Use w/ MY-HITE Bases



0

DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
- Specify GL, GC, GR Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below top, edge finish: worksurface finish: see page 8


ORDER EXAMPLE

product #:FVEDSP.2346 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: GC (Rear Center)

D-SHAPED

| PART# | Α | В | С | D | PRICE |
|-------------|-----|-----|---|---|-------|
| FVEDSP.2346 | 46" | 23" | _ | _ | \$572 |
| FVEDSP.2358 | 58" | 23" | _ | _ | \$638 |
| FVEDSP.2946 | 46" | 29" | _ | _ | \$628 |
| FVEDSP.2958 | 58" | 29" | _ | _ | \$697 |
| FVEDSP.2970 | 70" | 29" | _ | _ | \$760 |
| FVEDSP.3570 | 70" | 35" | _ | _ | \$839 |

120° Corner / 90° Ends Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
 Specify 120GL, 120GC, 120GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: worksurface finish:
see page 8


ORDER EXAMPLE

product #:FV120-90WS.2334 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: 120GC (Rear Center)

120° CORNER 90° ENDS

| PART# | А | В | С | D | PRICE |
|-----------------|-----|-----|---|---|---------|
| FV120-90WS.2334 | 23" | 34" | _ | _ | \$820 |
| FV120-90WS.2340 | 23" | 40" | _ | _ | \$1,010 |
| FV120-90WS.2346 | 23" | 46" | _ | _ | \$1,259 |

120° Corner / 120° Ends Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)
 Specify 120GL, 120GC, 120GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation appplications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: worksurface finish:
see page 8


ORDER EXAMPLE

product #:FV120-120WS.2334 edge finish: DT Dark Tone, E12 worksurface finish: Espresso, M10 grommet: 120GC (Rear Center)

120° CORNER 120° ENDS

| PART # | А | В | С | D | PRICE |
|------------------|-----|-----|---|---|---------|
| FV120-120WS.2334 | 23" | 34" | _ | _ | \$820 |
| FV120-120WS.2340 | 23" | 40" | _ | _ | \$1,010 |
| FV120-120WS.2346 | 23" | 46" | | | \$1,259 |

Corner Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add circular grommet (add \$75 list)
- Specify GL or GR
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

product #: see charts below
top, edge finish: worksurface finish:
see page 8

ORDER EXAMPLE

product #: FVCWT.2340 edge finish: DT Dark Tone, E12 worksurface finish: Light Maple, M1 grommet: GL


CORNER WORKSURFACE

| PART# | DEPTH | WIDTH | PRICE |
|------------|-------|-------|-------|
| FVCWT.2340 | 23" | 40" | \$626 |
| FVCWT.2346 | 23" | 46" | \$662 |
| | | | \$681 |
| FVCWT.2940 | 29" | 40" | \$715 |
| FVCWT.2946 | 29" | 46" | \$638 |


NOTES

Sizes are actual for example FVCWT.2940 is $29^{"} \times 40^{"}$

90° Extended Curved Corner Worksurface For Use w/ MY-HITE Bases



Right Extended shown



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add \$75 list)
 Specify grommet placement GL, GC, GR
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

product #: see charts below
top, edge, worksurface finish: see page 8
left or right extended: L for Left, R for Right

ORDER EXAMPLE

product #: FVECCWS.23345823L top, edge finish: E10 Espresso worksurface finish: M11 Light Walnut

23" D CONNECTING SIDE 23" D EXTENSION 34" D

| PART # | Α | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.23345823L | 23" | 34" | 58" | 23" | \$718 |
| FVECCWS.23345823R | 23" | 34" | 58" | 23" | \$718 |
| FVECCWS.23346423L | 23" | 34" | 64" | 23" | \$800 |
| FVECCWS.23346423R | 23" | 34" | 64" | 23" | \$800 |
| FVECCWS.23347023L | 23" | 34" | 70" | 23" | \$813 |
| FVECCWS.23347023R | 23" | 34" | 70" | 23" | \$813 |
| FVECCWS.23347623L | 23" | 34" | 76" | 23" | \$974 |
| FVECCWS.23347623R | 23" | 34" | 76" | 23" | \$974 |
| FVECCWS.23348223L | 23" | 34" | 82" | 23" | \$1,081 |
| FVECCWS.23348223R | 23" | 34" | 82" | 23" | \$1,081 |

29" D CONNECTING SIDE 29" D EXTENSION 34" D

| PART# | А | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.29345829L | 29" | 34" | 58" | 29" | \$786 |
| FVECCWS.29345829R | 29" | 34" | 58" | 29" | \$786 |
| FVECCWS.29346429L | 29" | 34" | 64" | 29" | \$868 |
| FVECCWS.29346429R | 29" | 34" | 64" | 29" | \$868 |
| FVECCWS.29347029L | 29" | 34" | 70" | 29" | \$879 |
| FVECCWS.29347029R | 29" | 34" | 70" | 29" | \$879 |
| FVECCWS.29347629L | 29" | 34" | 76" | 29" | \$1,042 |
| FVECCWS.29347629R | 29" | 34" | 76" | 29" | \$1,042 |
| FVECCWS.29348229L | 29" | 34" | 82" | 29" | \$1,145 |
| FVECCWS.29348229R | 29" | 34" | 82" | 29" | \$1,145 |

23" D CONNECTING SIDE 23" D EXTENSION 40" D

| PART # | А | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.23405823L | 23" | 40" | 58" | 23" | \$865 |
| FVECCWS.23405823R | 23" | 40" | 58" | 23" | \$865 |
| FVECCWS.23406423L | 23" | 40" | 64" | 23" | \$972 |
| FVECCWS.23406423R | 23" | 40" | 64" | 23" | \$972 |
| FVECCWS.23407023L | 23" | 40" | 70" | 23" | \$987 |
| FVECCWS.23407023R | 23" | 40" | 70" | 23" | \$987 |
| FVECCWS.23407623L | 23" | 40" | 76" | 23" | \$1,196 |
| FVECCWS.23407623R | 23" | 40" | 76" | 23" | \$1,196 |
| FVECCWS.23408223L | 23" | 40" | 82" | 23" | \$1,335 |
| FVECCWS.23408223R | 23" | 40" | 82" | 23" | \$1,335 |

29" D CONNECTING SIDE 29" D EXTENSION 40" D

| PART # | А | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.29405829L | 29" | 40" | 58" | 29" | \$931 |
| FVECCWS.29405829R | 29" | 40" | 58" | 29" | \$931 |
| FVECCWS.29406429L | 29" | 40" | 64" | 29" | \$1,038 |
| FVECCWS.29406429R | 29" | 40" | 64" | 29" | \$1,038 |
| FVECCWS.29407029L | 29" | 40" | 70" | 29" | \$1,054 |
| FVECCWS.29407029R | 29" | 40" | 70" | 29" | \$1,054 |
| FVECCWS.29407629L | 29" | 40" | 76" | 29" | \$1,264 |
| FVECCWS.29407629R | 29" | 40" | 76" | 29" | \$1,264 |
| FVECCWS.29408229L | 29" | 40" | 82" | 29" | \$1,401 |
| FVECCWS.29408229R | 29" | 40" | 82" | 29" | \$1,401 |

23" D CONNECTING SIDE 23" D EXTENSION 46" D

| PART# | А | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.23465823L | 23" | 46" | 58" | 23" | \$877 |
| FVECCWS.23465823R | 23" | 46" | 58" | 23" | \$877 |
| FVECCWS.23464623L | 23" | 46" | 64" | 23" | \$987 |
| FVECCWS.23464623R | 23" | 46" | 64" | 23" | \$987 |
| FVECCWS.23467023L | 23" | 46" | 70" | 23" | \$1,009 |
| FVECCWS.23467023R | 23" | 46" | 70" | 23" | \$1,009 |
| FVECCWS.23467623L | 23" | 46" | 76" | 23" | \$1,229 |
| FVECCWS.23467623R | 23" | 46" | 76" | 23" | \$1,229 |
| FVECCWS.23468223L | 23" | 46" | 82" | 23" | \$1,378 |
| FVECCWS.23468223R | 23" | 46" | 82" | 23" | \$1,378 |

29" D CONNECTING SIDE 29" D EXTENSION 46" D

| PART# | А | В | С | D | PRICE |
|-------------------|-----|-----|-----|-----|---------|
| FVECCWS.29465829L | 29" | 46" | 58" | 29" | \$945 |
| FVECCWS.29465829R | 29" | 46" | 58" | 29" | \$945 |
| FVECCWS.29466429L | 29" | 46" | 64" | 29" | \$1,054 |
| FVECCWS.29466429R | 29" | 46" | 64" | 29" | \$1,054 |
| FVECCWS.29467029L | 29" | 46" | 70" | 29" | \$1,077 |
| FVECCWS.29467029R | 29" | 46" | 70" | 29" | \$1,077 |
| FVECCWS.29467629L | 29" | 46" | 76" | 29" | \$1,296 |
| FVECCWS.29467629R | 29" | 46" | 76" | 29" | \$1,296 |
| FVECCWS.29468229L | 29" | 46" | 82" | 29" | \$1,439 |
| FVECCWS.29468229R | 29" | 46" | 82" | 29" | \$1,439 |

Ordering Verity Accessories & Storage

See below for a quick overview of the types of accessories and storage options available.



Return Worksurfaces



Pedestals



Credenzas



Cabinets



Over-worksurface Storage



Fabric Tackboards



Glass Screens



Markerboards



Metal Shelves



Open Shelves



Monitor Arms




Modesty Panels

Accessories are available as either track-mounted, worksurface-mounted, or available in both.


| Accessories | Track-Mounted | Worksurface-Mounted |
|------------------|---------------|---------------------|
| Fabric Tackboard | × | X |
| Glass Screen | × | X |
| Markerboard | | X |
| Metal Shelf | × | |
| Open Shelf | × | |
| Monitor Arm | × | |
| Modesty Panel | | X |

Return Worksurface

Return Worksurfaces attach perpendicular to a worksurface either at the end of a run (A style attachment) or at the worksurface seam (B style attachment).




A Style Attachment at the end of a run



B Style Attachment at the worksurface seam

Return Worksurface



A Style attachment shown

See page 75 for drawings of how to specify A style or B style return worksurfaces.

DESCRIPTION

Attaches perpendicular to a worksurface, either at the end of a run (Attachment A) or at the worksurface seam (Attachment B).

Includes an open leg on one side, worksurface attachment bracket on the other, and worksurface without power/data grommet.

NOTES

- Specify -A or -B style attachment.
- Cannot use A style attachment for:
 - 24"D Return Worksurface on a 48"W or 96"W Element.
 - 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.
- Can be used with Start/End Elements or Extension Elements.

SPECIFICATION OPTIONS

product #: see charts below worksurface finish: see page 8 edge finish: see page 8 finish: see page 8

ORDER EXAMPLE

product #: FVRL.1836-A/B worksurface finish: M1 Light Maple edge finish: E1 Light Maple finish: CW Cloud White

18" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|-------|
| FVRL.1836-A/B | _ | 36" | 18" | | \$739 |
| FVRL.1842-A/B | _ | 42" | 18" | | \$767 |
| FVRL.1848-A/B | - | 48" | 18" | | \$795 |
| FVRL.1854-A/B | _ | 54" | 18" | | \$858 |
| FVRL.1860-A/B | _ | 60" | 18" | | \$954 |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

24" DEPTH

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVRL.2436-A/B | _ | 36" | 24" | | \$799 |
| FVRL.2442-A/B | _ | 42" | 24" | | \$835 |
| FVRL.2448-A/B | _ | 48" | 24" | | \$910 |
| FVRL.2454-A/B | _ | 54" | 24" | | \$1,010 |
| FVRL.2460-A/B | _ | 60" | 24" | | \$1,046 |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:

24"D Return Worksurface on a 48"W or 96"W Element.

30" DEPTH

| PARI# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVRL.3036-A/B | _ | 36" | 30" | | \$906 |
| FVRL.3042-A/B | _ | 42" | 30" | | \$924 |
| FVRL.3048-A/B | _ | 48" | 30" | | \$993 |
| FVRL.3054-A/B | _ | 54" | 30" | | \$1,176 |
| FVRL.3060-A/B | _ | 60" | 30" | | \$1,221 |
| | | | | | |

NOTES

Specify -A style for end of run attachment or -B style for worksurface seam attachment.

Cannot use A style attachment for:

30"D Return Worksurface on a 54", 60", 66" or 72"W Element.

36" DEPTH


| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|-------|-----------|---------|
| FVRL.3636-A/B | _ | 36" | 36" | | \$957 |
| FVRL.3642-A/B | _ | 42" | 36" | | \$1,011 |
| FVRL.3648-A/B | _ | 48" | 36" | | \$1,062 |
| FVRL.3654-A/B | _ | 54" | 36" | | \$1,253 |
| FVRL.3660-A/B | _ | 60" | 36" | | \$1,306 |

NOTES

B style attachment only.

STORAGE

Mobile Pedestals Laminate



DESCRIPTION

Mobile pedestals. Please view individual product details below.

NOTES

- Cannot be used to support the worksurface
- Specify front, worksurface, casing, & pull when ordering.
- Includes pencil tray in top drawer

SPECIFICATION OPTIONS

product #: see charts below front finish: see page 8 worksurface finish: see page 8 casing finish: Seepage 8

ORDER EXAMPLES

product #: FD-BF-2016-MOB front finish: M1 Light Maple worksurface finish: M1 Light Maple casing finish: M29 Raven pull: Wedge, brushed aluminum

PEDESTAL PULL OPTIONS







LAMINATE MOBILE BOX/FILE PEDESTAL



| PART # | HEIGHT | WIDTH | DEPTH | LIST |
|----------------|--------|-------|-------|---------|
| FD-BF-2016-MOB | 24" | 15.5" | 20" | \$1,536 |
| FD-BF-2416-MOB | 24" | 15.5" | 24" | \$1,582 |

NOTES

- Locking mobile laminate pedestal with (2) drawers, pencil tray and pulls.
- Specify front, worksurface, casing & pull when ordering.
- · Includes pencil tray in top drawer

LAMINATE MOBILE PENCIL/BOX/FILE PEDESTAL




| PART# | HEIGHT | WIDTH | DEPTH | LIST |
|-----------------|--------|-------|-------|---------|
| FD-PBF-2016-MOB | 24.5" | 15.5" | 20" | \$1,952 |

NOTES

- Locking mobile laminate pedestal with (3) drawers, pencil tray and pulls.
- Specify front, worksurface, casing & pull when ordering.
- Includes pencil tray in top drawer

BOX/FILE MOBILE LAMINATE PEDESTAL CUSHION



| PART# | HEIGHT | WIDTH | DEPTH | LIST |
|-----------------|--------|-------|-------|-------|
| FD-BF-2016.CUSH | 1.75" | 15.5" | 20" | \$397 |
| FD-BF-2416.CUSH | 1.75" | 15.5" | 24" | \$498 |

NOTES


For laminate mobile box/file pedestal only.

Note: If cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.

Passage and Terrain fabrics cannot be used on pedestal cushions (see page 6)

COM is an option. (see page 6)

Mobile Pedestals Metal



DESCRIPTION

NOTES

Mobile pedestals. Please view individual product details below.

SPECIFICATION OPTIONS

product #: see charts below finish: see page 8

fabric cushion (optional): see page 6

pull: See page 9

ORDER EXAMPLES

product #: FPEDSQP.BF-MOB-MET finish: CW Cloud White

fabric cushion (optional): PF401-1 Silky-Natural pull: Wedge \$50 (see upcharge below)

Cannot be used to support


Includes pencil tray in top drawer

Specify pull when ordering

the worksurface

(page 9)


PEDESTAL PULL OPTIONS




PREMIUM PULLS (REQUIRE UPCHARGE ON METAL STORAGE)



Wedge Pull Brushed Aluminum
 Black Umber







Brushed Aluminum
 Black Umber

METAL MOBILE BOX/FILE PEDESTAL




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------------------|--------|-------|-------|-----------|-------|
| FPEDSQP.BF-MOB-MET | 22" | 15" | 20" | 85 | \$912 |
| | | | | | |
| WEDGE, DESIGNER OR SLA | | | | +\$50 | |
| | | | | | |

NOTES

- Locking mobile metal pedestal with square front, pencil tray and pulls.
- Specify paint finish
- Specify pull when ordering
- Includes pencil tray in top drawer

BOX/FILE MOBILE METAL PEDESTAL CUSHION



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|-------|
| FPEDSQ.CUSH | 1.75" | 15" | 20" | _ | \$416 |

NOTES For FPEDSQP.BF-MOB-MET metal

mobile box/file pedestal only. Passage and Terrain fabrics cannot be used on pedestal cushions. (See page 6)

SIDE-TO-SIDE **FILE BARS**




PART # HEIGHT WIDTH DEPTH WT. (LBS) LIST FSSB \$18

Side-to-side File Bars for filing letter or legal size folders. Order one per file drawer

Finish: Black Metal only

NOTES

Mobile Pedestals My-Hite



DESCRIPTION

Box/File mobile pedestal with lock and matching color top

SPECIFICATION OPTIONS

product #: FBFPED.MOB
finish: CW, BU, SV

foam color (if applicable): Charcoal,

Café, Grey, and Red

NOTES

- Optional Foam cushion available
- Optional different color top available
- Foam cushion is available in 6 colors
- Key-alike available
- Changeable colored top available

ORDER EXAMPLE

Pedestal:

product #: FBFPED.MOB

finish: SV Silver

Cushion:

product #: FBFPED.CUSH

finish: Charcoal

MOBILE PEDESTAL



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | PRICE |
|------------|--------|-------|---------|-----------|-------|
| FBFPED.MOB | 21.5" | 15" | 19 3/4" | | \$761 |

Finish options: SV Silver, CW
Cloud White and BU Black

Umber

NOTES

COLOR PEDESTAL TOP



NOTES

- For use with FBFPED.MOB pedestal only
- Color options: Green, Blue, and Red
- Please select color when ordering



FOAM CUSHION


PART # HEIGHT WIDTH DEPTH WT. (LBS) PRICE
FBFPED.CUSH \$159



NOTES

- For use with FBFPED.MOB pedestal only
- Color options: Charcoal, Café, Grey, and Red
- Please select color when ordering
- Cushion is made of foam and not fabric covered

Credenzas



DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

NOTES

- Specify: Top, Front, Case, Pull & Foot.
- Pulls have color options: specify color when ordering. (See page 9)
- Specify L for left or R for right indicating door pull location.

SPECIFICATION OPTIONS

product #: see charts below front finish: see page 6 top finish: see page 6 casing finish: seepage 6 pull: See page 9 foot finish: BU, CW, SV

ORDER EXAMPLE

product #: FVBSC.1860 front finish: M1 Light Maple top finish: M1 Light Maple casing finish: M29 Raven pull: Wedge, brushed aluminum foot finish: CW

| | CRE | EDENZA PULL OPTIONS | |
|-----|---|---|---|
| • E | /edge Pull Brushed Aluminum Black Umber | Designer Pull Cloud White/Gren Cloud White/Grep | Slant Pull Brushed Aluminum Black Umber |

CREDENZA



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|--------|-----------|---------|
| FVBSC.1848L | 21.25" | 48" | 17.75" | _ | \$1,473 |
| FVBSC.1848R | 21.25" | 48" | 17.75" | _ | \$1,473 |
| FVBSC.1860L | 21.25" | 60" | 17.75" | _ | \$1,667 |
| FVBSC.1860R | 21.25" | 60" | 17.75" | _ | \$1,667 |
| FVBSC.1872L | 21.25" | 72" | 17.75" | _ | \$1,923 |
| FVBSC.1872R | 21.25" | 72" | 17.75" | _ | \$1,923 |

NOTES

Specify L for left or R for right indicating door pull location

May also be specified as worksurface-supporting credenza. See Supporting Storage section for details.

Specify: Top, Front, Case, Pull & Foot Finish

Credenzas continued

MOBILE CREDENZA, 36" WIDE



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|--------|-----------|---------|
| FVBCMOB.1836L | 21.75" | 36" | 17.75" | _ | \$1,057 |
| FVBCMOB.1836R | 21.75" | 36" | 17.75" | _ | \$1.057 |


NOTES

Mobile storage credenza with sliding door and pull

Specify: Top, Front, Case, & Pull

Specify L for left or R for right indicating door pull location.

CREDENZA CUSHION



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|----------------|--------|-------|-------|-----------|-------|
| FCREDSQ.CUSH30 | 1.75" | 30" | 18" | _ | \$429 |
| FCREDSQ.CUSH36 | 1.75" | 36" | 18" | _ | \$437 |
| FCREDSQ.CUSH42 | 1.75" | 42" | 18" | _ | \$493 |
| FCREDSQ.CUSH48 | 1.75" | 48" | 18" | _ | \$549 |
| FCREDSQ.CUSH60 | 1.75" | 60" | 18" | _ | \$658 |
| FCREDSQ.CUSH72 | 1.75" | 72" | 18" | _ | \$841 |

NOTES

Specify standard fabric.


Passage and Terrain fabrics cannot be used on credenza cushions. (See page 6)

May use shorter cushion on supporting credenza.

Example:

Credenza 60" W, with 30"
 W cushion so credenza can
 support element.
 (See page 80)

Cabinets



DESCRIPTION

Locking laminate storage cabinet with open shelf and doors with pulls.

SPECIFICATION OPTIONS

product #: see charts below front finish: see page 6 top finish: seepage 6 casing finish: see page 6 door finish: See page 6 pull: See page 9

NOTES

- Specify: Top, Door, Case, Pull
- Pulls have color options: specify color when ordering. (See page 9)

ORDER EXAMPLE

product #: FVST.1824 front finish: M1 Light Maple top finish: M1 Light Maple casing finish: M29 Raven door finish: M29 Raven pull: Wedge, brushed aluminum

CABINET PULL OPTIONS







FREESTANDING STORAGE CABINET



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|--------|-----------|---------|
| FVST.1824 | 45" | 24" | 17.75" | _ | \$1,336 |
| FVST.1830 | 45" | 30" | 17.75" | _ | \$1,505 |
| FVST.1836 | 45" | 36" | 17.75" | _ | \$1,749 |

NOTES

Fixed open shelf above


Adjustable shelf behind, locking swing doors

Does not support worksurfaces

Specify: Top, Door, Case & Pull

STORAGE

Over-Worksurface Storage, Single-Sided



DESCRIPTION

Single-sided laminate storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf or sliding door.

NOTES

- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Pulls have color options: specify color when ordering. (See page 9)

SPECIFICATION OPTIONS


product #: see charts below front finish: see page 8 top finish: see page 8 casing finish: see page 8 finish: CW, BU, SV

pull (if applicable): See page 9


ORDER EXAMPLE

product #: FVOSDSN.1524 front finish: M1 Light Maple top finish: M1 Light Maple casing finish: M1 Light Maple finish: CW, Cloud White

pull (if applicable): Wedge, brushed aluminum



WITH SLIDING DOOR 15" HIGH



right hand shown

| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|--------|-----------|---------|
| FVOSDSN:1524L | 15" | 24" | 13.75" | _ | \$740 |
| FVOSDSN:1524R | 15" | 24" | 13.75" | _ | \$740 |
| FVOSDSN:1530L | 15" | 30" | 13.75" | _ | \$817 |
| FVOSDSN:1530R | 15" | 30" | 13.75" | _ | \$817 |
| FVOSDSN:1548L | 15" | 48" | 13.75" | _ | \$1,070 |
| FVOSDSN.1548R | 15" | 48" | 13.75" | _ | \$1,070 |
| FVOSDSN:1560L | 15" | 60" | 13.75" | _ | \$1,381 |
| FVOSDSN.1560R | 15" | 60" | 13.75" | _ | \$1,381 |
| FVOSDSN:1572L | 15" | 72" | 13.75" | _ | \$1,499 |
| FVOSDSN:1572R | 15" | 72" | 13.75" | _ | \$1,499 |

NOTES

Laminate storage with sliding door and solid back


Specify L for left or R for right indicating door pull location.

Specify front finish for sliding door

Specify pull when ordering

Over-Worksurface Storage, Single-Sided continued

WITH OPEN SHELF 15" HIGH



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|--------|-----------|-------|
| FVOSOSN.1524 | 15" | 24" | 13.75" | _ | \$402 |
| FVOSOSN.1530 | 15" | 30" | 13.75" | _ | \$525 |
| FVOSOSN:1548 | 15" | 48" | 13.75" | _ | \$730 |
| FVOSOSN.1560 | 15" | 60" | 13.75" | _ | \$855 |
| FVOSOSN.1572 | 15" | 72" | 13.75" | _ | \$967 |


NOTES

Laminate storage with open shelf, and solid back

24"W and 30"W do not have a center divider.

48"W or wider have a center divider.

WITH OPEN SHELF 8" HIGH



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|--------|-----------|-------|
| FVOSOS.0824 | 8" | 24" | 13.75" | _ | \$268 |
| FVOSOS.0830 | 8" | 30" | 13.75" | _ | \$313 |
| FVOSOS.0848 | 8" | 48" | 13.75" | _ | \$491 |
| FVOSOS.0860 | 8" | 60" | 13.75" | _ | \$577 |
| FVOSOS .0872 | 8" | 72" | 13.75" | _ | \$655 |

NOTES


Laminate storage with open shelf, open back and center divider.

24"W and 30"W do not have a center divider.

48"W or wider have a center divider.

STORAGE

Over-Worksurface Storage, Double-Sided



DESCRIPTION

Double-sided (shared) storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf, or sliding door and markerboard.

NOTES

- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Pulls have color options: specify color when ordering. (See page 9)

SPECIFICATION OPTIONS

product #: see charts below front finish: see page 8 top finish: see page 8 casing finish: see page 8 finish: CW, BU, SV

pull (if applicable): See page 9

ORDER EXAMPLE

product #: FVOSDSH.1524 front finish: M1 Light Maple top finish: M1 Light Maple casing finish: M1 Light Maple finish: CW, Cloud White

pull (if applicable): Wedge, brushed aluminum

STORAGE PULL OPTIONS



HEIGHT




WT. (LBS)



WITH SLIDING DOOR 15" HIGH

PART#



| FVOSDSH.1524L | 15" | 24" | 13.75" | _ | \$1,184 |
|---------------|-----|-----|--------|---|---------|
| FVOSDSH.1524R | 15" | 24" | 13.75" | _ | \$1,184 |
| FVOSDSH.1530L | 15" | 30" | 13.75" | _ | \$1,318 |
| FVOSDSH.1530R | 15" | 30" | 13.75" | _ | \$1,318 |
| FVOSDSH.1548L | 15" | 48" | 13.75" | _ | \$1,761 |
| FVOSDSH.1548R | 15" | 48" | 13.75" | _ | \$1,761 |
| FVOSDSH.1560L | 15" | 60" | 13.75" | _ | \$2,025 |
| FVOSDSH.1560R | 15" | 60" | 13.75" | _ | \$2,025 |
| FVOSDSH.1572L | 15" | 72" | 13.75" | _ | \$2,229 |
| FVOSDSH.1572R | 15" | 72" | 13.75" | _ | \$2,229 |

WIDTH

DEPTH

NOTES

Laminate storage with sliding door and markerboard on each

Specify L for left or R for right indicating door pull location.


Specify front finish for sliding door.

Specify pull when ordering

Premium pulls have color options: specify color when ordering. (See page 9)

Over-Worksurface Storage, Double-Sided continued

WITH OPEN SHELF 15" HIGH




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|---------------|--------|-------|--------|-----------|-------|
| FVOSOSH.1524L | 15" | 24" | 13.75" | _ | \$362 |
| FVOSOSH.1524R | 15" | 24" | 13.75" | _ | \$362 |
| FVOSOSH.1530L | 15" | 30" | 13.75" | _ | \$362 |
| FVOSOSH.1530R | 15" | 30" | 13.75" | _ | \$362 |
| FVOSOSH.1548L | 15" | 48" | 13.75" | _ | \$602 |
| FVOSOSH.1548R | 15" | 48" | 13.75" | _ | \$602 |
| FVOSOSH.1560L | 15" | 60" | 13.75" | _ | \$652 |
| FVOSOSH.1560R | 15" | 60" | 13.75" | _ | \$652 |
| FVOSOSH.1572L | 15" | 72" | 13.75" | _ | \$728 |
| FVOSOSH.1572R | 15" | 72" | 13.75" | _ | \$728 |

NOTES

Laminate storage with open shelf and markerboard on each side.

Specify L for left or R for right indicating open shelf location.

WITH OPEN SHELF 8" HIGH



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|--------|-----------|-------|
| FVOSOS.0824 | 8" | 24" | 13.75" | _ | \$268 |
| FVOSOS.0830 | 8" | 30" | 13.75" | _ | \$313 |
| FVOSOS.0848 | 8" | 48" | 13.75" | _ | \$491 |
| FVOSOS.0860 | 8" | 60" | 13.75" | _ | \$577 |
| FVOSOS.0872 | 8" | 72" | 13.75" | _ | \$655 |

NOTES


Laminate storage with open shelf, open back and center divider.

24"W and 30"W do not have a center divider.

48"W or wider have a center divider.

STORAGE

Pulls Lateral



DESCRIPTION

3 different pull options to choose from

NOTES

 Pulls have color options: specify color when ordering. (See chart below)

SPECIFICATION OPTIONS

product #: see charts below
pull: see charts below

ORDER EXAMPLE

product #: WEDGE-PULL-244
pull: Wedge, brushed aluminum

NOTES

WEDGE PULL FOR LATERAL



| PART # | WT. (LBS) | LIST |
|-------------------|-----------|------|
| WEDGE-PULL-244 | _ | \$25 |
| WEDGE-PULL-244-BU | _ | \$25 |

NOTES Wedge Pull for Lateral

DESIGNER PULL FOR LATERAL



| PART # | WT. (LBS) | LIST |
|-------------------------|-----------|------|
| DESIGNER-PULL-250-RED | _ | \$25 |
| DESIGNER-PULL-250-GREEN | _ | \$25 |
| DESIGNER-PULL-250-GREY | _ | \$25 |

Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey

SLANT PULL FOR LATERAL




| PART # | WT. (LBS) | LIST |
|-------------------|-----------|------|
| SLANT-PULL-199 | _ | \$25 |
| SLANT-PULL-199-BU | _ | \$25 |

NOTES

Slant Pull for Lateral

TORAGE

Pulls Pedestal



DESCRIPTION

3 different pull options to choose from

NOTES

 Pulls have color options: specify color when ordering. (See chart below)

SPECIFICATION OPTIONS

product #: see charts below
pull: see charts below

ORDER EXAMPLE

product #: DESIGNER-PULL-250-RED
pull: Designer Pull, RED

WEDGE PULL FOR PEDESTAL



| PART # | WT. (LBS) | LIST |
|-------------------|-----------|------|
| WEDGE-PULL-167 | _ | \$25 |
| WEDGE-PULL-167-BU | _ | \$25 |

NOTES Wedge Pull for Pedestal


DESIGNER PULL FOR PEDESTAL



| PART # | WT. (LBS) | LIST |
|-------------------------|-----------|------|
| DESIGNER-PULL-250-RED | _ | \$25 |
| DESIGNER-PULL-250-GREEN | _ | \$25 |
| DESIGNER-PULL-250-GREY | _ | \$25 |

NOTES Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey

SLANT PULL FOR PEDESTAL



| PART # | WT. (LBS) | LIST |
|-------------------|-----------|------|
| SLANT-PULL-167 | _ | \$25 |
| SLANT-PULL-167-BU | _ | \$25 |

NOTES

Slant Pull for Pedestal

Support for Over-Worksurface Storage

DESCRIPTION

Supporting post leg or cabinet for overworksurface mounted cabinets.

SPECIFICATION OPTIONS

product #: see charts below
top, casing and front finish: see worksurface
laminates on page 8

NOTES

 Specify top, casing and front finish for support cabinet.


ORDER EXAMPLE

product #: FVSL.3
finish: CW Cloud White

product #: FVSC.1416

front finish (if applicable): M1 Light Maple

SUPPORT COLUMN LEG WITH DISC BASE



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------|--------|--------|-------|-----------|-------|
| FVSL.3 | 29.5" | 3"/14" | _ | _ | \$511 |


NOTES

Supporting column leg with disc base for over-worksurface mounted cabinets.

3"W column, 14"W disc base.

Supporting leg avaiable in paint finish (page 8)

SUPPORT CABINET



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|-------|--------|-----------|---------|
| FVSC.1416 | 29.5" | 15.5" | 13.75" | _ | \$1,058 |


NOTES

Supporting cabinet for overworksurface mounted cabinets.

Specify top, casing and front finish

Opposide side is closed at top and open at bottom.

SUPPORT CABINET, SINGLE SIDED



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|--------|-----------|---------|
| FVSCS.1416 | 29.5" | 15.5" | 13.75" | _ | \$1,058 |

IOTES

Does not support worksurfaces Specify: Top, Door, Case

Track-Mounted Accessories, Fabric Tackboard

DESCRIPTION

Accessories mounted to the center track. Please view individual product details below.

SPECIFICATION OPTIONS

product #: see charts below
fabric (if applicable): see page 6

(Passage and Terrain fabric not approved for this application)

finish (if applicable): see page 8 front finish (if applicable): see page 8

NOTES

- Support brackets are available in Cloud White, Silver and Black Umber.
- A shelf cannot be installed in the same position as the track mounted tackboard.

Passage and Terrain fabric not approved for this application

ORDER EXAMPLE

product #: FVTKBDT.1536
fabric (if applicable): PF401-1 Silky-Natural


product #: FVDSS

finish (if applicable): CW Cloud White

product #: FVOSS.16

finish (if applicable): CW Cloud White front finish (if applicable): CW Cloud White

FABRIC TACKBOARD 15" (track-mounted)




| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDT.1536 | 15" | 34" | 1.25" | - | \$408 |
| FVTKBDT.1542 | 15" | 40" | 1.25" | _ | \$459 |
| FVTKBDT.1548 | 15" | 46" | 1.25" | _ | \$494 |
| FVTKBDT.1554 | 15" | 52" | 1.25" | _ | \$581 |
| FVTKBDT.1560 | 15" | 58" | 1.25" | _ | \$629 |
| FVTKBDT.1566 | 15" | 64" | 1.25" | _ | \$679 |
| FVTKBDT.1572 | 15" | 70" | 1.25" | _ | \$708 |

NOTES

Specify fabric on pg 6.

FABRIC TACKBOARD 18" (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDT.1836 | 18" | 34" | 1.25" | _ | \$449 |
| FVTKBDT.1842 | 18" | 40" | 1.25" | _ | \$504 |
| FVTKBDT.1848 | 18" | 46" | 1.25" | _ | \$545 |
| FVTKBDT.1854 | 18" | 52" | 1.25" | _ | \$641 |
| FVTKBDT.1860 | 18" | 58" | 1.25" | _ | \$693 |
| FVTKBDT.1866 | 18" | 64" | 1.25" | _ | \$759 |
| FVTKBDT.1872 | 18" | 70" | 1.25" | _ | \$778 |


NOTES

Specify fabric on pg 6.

Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017

FABRIC TACKBOARD 20" (track-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDT.2036 | 20" | 34" | 1.25" | _ | \$469 |
| FVTKBDT.2042 | 20" | 40" | 1.25" | _ | \$528 |
| FVTKBDT.2048 | 20" | 46" | 1.25" | _ | \$570 |
| FVTKBDT.2054 | 20" | 52" | 1.25" | _ | \$669 |
| FVTKBDT.2060 | 20" | 58" | 1.25" | _ | \$724 |
| FVTKBDT.2066 | 20" | 64" | 1.25" | _ | \$779 |
| FVTKBDT.2072 | 20" | 70" | 1.25" | _ | \$814 |
| FVTKBDT.2072 | 20" | 70" | 1.25" | _ | \$814 |

NOTES

Specify fabric on pg 6.


Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017

ACCESSORIES

Track-Mounted Accessories, Glass Screen

CLEAR GLASS SCREEN (track-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|--------|-------|-----------|-------|
| FVGSTCL.1524 | 15" | 23.25" | 1.25" | _ | \$219 |
| FVGSTCL.1530 | 15" | 29.25" | 1.25" | _ | \$251 |
| FVGSTCL.1536 | 15" | 35.25" | 1.25" | _ | \$280 |
| FVGSTCL.1542 | 15" | 41.25" | 1.25" | _ | \$310 |
| FVGSTCL.1548 | 15" | 47.25" | 1.25" | _ | \$343 |
| FVGSTCL.1554 | 15" | 53.25" | 1.25" | _ | \$404 |
| FVGSTCL.1560 | 15" | 59.25" | 1.25" | _ | \$404 |
| FVGSTCL.1566 | 15" | 65.25" | 1.25" | _ | \$457 |
| FVGSTCL.1572 | 15" | 71.25" | 1.25" | _ | \$457 |
| | | | | | |

NOTES


Glass is clear.

For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.

FROSTED GLASS SCREEN (track-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|--------|-------|-----------|-------|
| FVGSTFR.1524 | 15" | 23.25" | 1.25" | _ | \$332 |
| FVGSTFR.1530 | 15" | 29.25" | 1.25" | _ | \$392 |
| FVGSTFR.1536 | 15" | 35.25" | 1.25" | _ | \$451 |
| FVGSTFR.1542 | 15" | 41.25" | 1.25" | _ | \$512 |
| FVGSTFR.1548 | 15" | 47.25" | 1.25" | _ | \$573 |
| FVGSTFR.1554 | 15" | 53.25" | 1.25" | _ | \$727 |
| FVGSTFR.1560 | 15" | 59.25" | 1.25" | _ | \$727 |
| FVGSTFR.1566 | 15" | 65.25" | 1.25" | _ | \$848 |
| FVGSTFR.1572 | 15" | 71.25" | 1.25" | _ | \$848 |
| | | | | | |

NOTES


Glass is frosted.

For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.

For 84" tops, order 2 pieces of 42" glass.

For 96" tops, order 2 pieces of 48" glass.


METAL SHELF (track-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------|--------|-------|-------|-----------|-------|
| FVSS | 5" | 20" | 6.75" | _ | \$155 |

NOTES
Specify finish.

OPEN SHELF (track-mounted)




| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-----------|--------|--------|-------|-----------|-------|
| FVOSS.16 | _ | 15.75" | _ | - | \$275 |
| EV/OSS 22 | | 21.5" | | | ¢701 |

NOTES

Specify finish (painted metal) and front finish (laminate shelf base).

Privacy Screen, Fabric



DESCRIPTION

Work Surface mounted fabric covered privacy screen

NOTES

Fabric screen is non-tackable

Actual screen is shorter than the worktop.

Example: FPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

Fabric covered privacy screens have Black Reveal.

Passage and Terrain fabric not approved for this application.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

fabric: see page 6 (Passage and Terrain fabric not approved for this application)

ORDER EXAMPLE

product #: FPSFLUSH.2442

brackets: SV, Silver

fabric: PF-101-1, Terrian, Caramel

Fabric Privacy Screen - Flush

| PART # | HEIGHT | WIDTH | LIST |
|---------------|--------|-------|-------|
| FPSFLUSH.2442 | 24" | 34" | \$651 |
| FPSFLUSH.2448 | 24" | 40" | \$704 |
| FPSFLUSH.2454 | 24" | 46" | \$758 |
| FPSFLUSH.2460 | 24" | 52" | \$814 |
| FPSFLUSH.2466 | 24" | 58" | \$870 |
| FPSFLUSH.2472 | 24" | 64" | \$925 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Fabric covered privacy screens have Black Reveal.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FPSFLUSH.2460 is 52"

Fabric Privacy Screen - with Wire Management Gap

| PART # | HEIGHT | WIDTH | LIST |
|-------------|--------|-------|-------|
| FPSGAP.2442 | 24" | 34" | \$651 |
| FPSGAP.2448 | 24" | 40" | \$704 |
| FPSGAP.2454 | 24" | 46" | \$758 |
| FPSGAP.2460 | 24" | 52" | \$814 |
| FPSGAP.2466 | 24" | 58" | \$870 |
| FPSGAP.2472 | 24" | 64" | \$925 |

NOTES

- Fabric covered privacy screens have Black Reveal.
- With 1" gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FPSGAP.2460 is 52"

Fabric Privacy Screen - Flush End-Of-Run with Triangle Leg

| PART# | HEIGHT | WIDTH | LIST |
|-----------|--------|-------|---------|
| FVPS.3948 | 39" | 48" | \$929 |
| FVPS.3960 | 39" | 60" | \$1,053 |

NOTES

Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.

- Actual width of FVPS.3948 is 43"
- Actual width of FVPS.3960 is 55"
- Use with Triangle Legs only

Fabric Privacy Screen - Flush End-Of-Run with Inset Legs or Taper Legs

| PART# | HEIGHT | WIDTH | LIST |
|-----------|--------|-------|---------|
| FVPS.3942 | 39" | 36" | \$950 |
| FVPS.3954 | 39" | 48" | \$1,080 |

NOTES


Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.

- Actual width of FVPS.3942 is 36.5"
- Actual width of FVPS.3954 is 48.75"
- Use with Inset or Taper Legs only

ACCESSORIES

Privacy Screen, Marker Board



DESCRIPTION

Work Surface mounted marker board privacy screen

NOTES

To use a wire manager on your My-Hite table with a marker board privacy screen, you must order "with gap".

Marker board screen is writable on both sides Actual screen is shorter than the worktop.

Example: FMPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV

ORDER EXAMPLE

product #: FMPSFLUSH.2442
brackets: SV, Silver

Marker Board Privacy Screen - Flush

| PART# | HEIGHT | WIDTH | LIST |
|----------------|--------|-------|---------|
| FMPSFLUSH.2442 | 24" | 34" | \$787 |
| FMPSFLUSH.2448 | 24" | 40" | \$901 |
| FMPSFLUSH.2454 | 24" | 46" | \$1,015 |
| FMPSFLUSH.2460 | 24" | 52" | \$1,131 |
| FMPSFLUSH.2466 | 24" | 58" | \$1,245 |
| FMPSFLUSH.2472 | 24" | 64" | \$1,360 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FMPSFLUSH.2460 is 52"

Marker Board Privacy Screen - with Wire Management Gap

| PART# | HEIGHT | WIDTH | LIST |
|--------------|--------|-------|---------|
| FMPSGAP.2442 | 24" | 34" | \$787 |
| FMPSGAP.2448 | 24" | 40" | \$901 |
| FMPSGAP.2454 | 24" | 46" | \$1,015 |
| FMPSGAP.2460 | 24" | 52" | \$1,131 |
| FMPSGAP.2466 | 24" | 58" | \$1,245 |
| FMPSGAP.2472 | 24" | 64" | \$1,360 |


NOTES

• With 1" gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FMPSGAP.2460 is 52"

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

To use a wire manager on your My-Hite table with a laminate privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets): CW, BU, SV
finish: see page 8

ORDER EXAMPLE

product #: FLPSFLUSH.2442

brackets: SV, Silver

Laminate Privacy Screen - Flush

| PART # | HEIGHT | WIDTH | LIST |
|----------------|--------|-------|-------|
| FLPSFLUSH.2442 | 24" | 34" | \$423 |
| FLPSFLUSH.2448 | 24" | 40" | \$472 |
| FLPSFLUSH.2454 | 24" | 46" | \$519 |
| FLPSFLUSH.2460 | 24" | 52" | \$566 |
| FLPSFLUSH.2466 | 24" | 58" | \$614 |
| FLPSFLUSH.2472 | 24" | 64" | \$661 |

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FLPSFLUSH.2460 is 52"

Laminate Privacy Screen - with Wire Management Gap

| PART# | HEIGHT | WIDTH | LIST | |
|--------------|--------|-------|-------|--|
| FLPSGAP.2442 | 24" | 34" | \$423 | |
| FLPSGAP.2448 | 24" | 40" | \$472 | |
| FLPSGAP.2454 | 24" | 46" | \$519 | |
| FLPSGAP.2460 | 24" | 52" | \$566 | |
| FLPSGAP.2466 | 24" | 58" | \$614 | |
| FLPSGAP.2472 | 24" | 64" | \$661 | |


NOTES

• With 1" gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FPSGAP.2460 is 52"

Modesty Panel, Laminate



DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

SPECIFICATION OPTIONS

product #: see charts below
Paint (Brackets) CW, BU, SV
Laminate (Modesty Panel) see page 8

ORDER EXAMPLE

product #: FLMOD.0836
paint: CW, Cloud White
laminate: M12, Medium Walnut

Laminate Modesty Panel

| PART# | HEIGHT | WIDTH | LIST |
|------------|--------|-------|-------|
| FLMOD.0836 | 8" | 36" | \$255 |
| FLMOD.0842 | 8" | 42" | \$265 |
| FLMOD.0848 | 8" | 48" | \$272 |
| FLMOD.0854 | 8" | 54" | \$328 |
| FLMOD.0860 | 8" | 60" | \$411 |
| FLMOD.0866 | 8" | 66" | \$419 |
| FLMOD.0872 | 8" | 72" | \$428 |
| FLMOD.0884 | 8" | 84" | \$444 |
| FLMOD.0896 | 8" | 96" | \$460 |

| FLMOD.1636 | 16" | 36" | \$316 | |
|------------|-----|-----|-------|--|
| FLMOD.1642 | 16" | 42" | \$323 | |
| FLMOD.1648 | 16" | 48" | \$330 | |
| FLMOD.1654 | 16" | 54" | \$436 | |
| FLMOD.1660 | 16" | 60" | \$519 | |
| FLMOD.1666 | 16" | 66" | \$526 | |
| FLMOD.1672 | 16" | 72" | \$536 | |
| FLMOD.1684 | 16" | 84" | \$551 | |
| FLMOD.1696 | 16" | 96" | \$568 | |

NOTES

- For use with single-sided units only.
- Modesty panel is actual width

Worksurface-Mounted Accessories, Fabric Tackboard

DESCRIPTION

Accessories mounted to the worksurface.

SPECIFICATION OPTIONS

product #: see charts below

fabric: See page 6 (Passage and Terrain fabric not approved for this application).

finish: See page 8

NOTES

- Passage and Terrain fabric not approved for this application
- Clamps to worksurface on one side

ORDER EXAMPLE

product #: FVTKBDW.1522
fabric: PF401-1 Silky-Natural
finish: CW Cloud White

FABRIC TACKBOARD 15" (surface-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDW.1522 | 15" | 22" | 1" | _ | \$274 |
| FVTKBDW.1528 | 15" | 28" | 1" | _ | \$338 |

FABRIC TACKBOARD 18" (surface-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDW.1822 | 18" | 22" | 1" | _ | \$302 |
| FVTKBDW.1828 | 18" | 28" | 1" | _ | \$371 |


FABRIC TACKBOARD 20" (surface-mounted)



| PART # | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVTKBDW.2022 | 20" | 22" | 1" | _ | \$315 |
| FVTKBDW.2028 | 20" | 28" | 1" | _ | \$388 |

Worksurface-Mounted Accessories

CLEAR GLASS SCREEN (surface-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVGSWCL.1522 | 15" | 22" | 1" | - | \$280 |
| FVGSWCL.1528 | 15" | 28" | 1" | _ | \$349 |


NOTES

Mounts along the worksurface.

Glass is clear.

Includes hardware.

FROSTED GLASS SCREEN (surface-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|--------------|--------|-------|-------|-----------|-------|
| FVGSWFR.1522 | 15" | 22" | 1" | _ | \$388 |
| FVGSWFR.1528 | 15" | 28" | 1" | _ | \$436 |

Mounts along the worksurface.

Glass is frosted.

Includes hardware.

MARKERBOARD SCREEN (surface-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|-------------|--------|-------|-------|-----------|-------|
| FVMKRW.1522 | 15" | 22" | 1" | _ | \$383 |
| FVMKRW.1528 | 15" | 28" | 1" | _ | \$497 |

NOTES

Mounts along the worksurface.

Markerboard with write and erase surface.

Includes hardware.

MODESTY PANEL (under surface-mounted)



| PART# | HEIGHT | WIDTH | DEPTH | WT. (LBS) | LIST |
|------------|--------|-------|-------|-----------|-------|
| FVMOD.1648 | 13.75" | 36" | 1" | _ | \$249 |
| FVMOD.1654 | 13.75" | 42" | 1" | _ | \$251 |
| FVMOD.1660 | 13.75" | 48" | 1" | _ | \$264 |
| FVMOD.1666 | 13.75" | 54" | 1" | _ | \$279 |
| FVMOD.1672 | 13.75" | 60" | 1" | _ | \$296 |
| FVMOD.1678 | 13.75" | 66" | 1" | _ | \$434 |

NOTES

For use with single-sided units only.

Perforated metal modesty panel mounts under the worksurface.

Specify paint finish.

For a 96"W worksurface, order two 48" modesty panels.

ACCESSORIES

SUPPORTING BRACKETS

For worksurface mounted fabric/markerboard screen





| PART # | LIST | NOTES |
|--------|------|---|
| FV - X | \$99 | BU, CW, SV Finishes |
| | | Supporting brackets for worksurface mounted fabric or Markerboard screen. |

SUPPORTING BRACKETS For worksurface mounted glass screen






| PΑ | RT# | LIST | NOTES |
|----|------|------|---|
| F١ | /-XT | \$99 | BU, CW, SV Finishes |
| | | | Supporting brackets for worksurface mounted glass screen. |
| | | | For use with customers own material |

DESK MOUNTED POWER UNIT - CLAMP



| PART # | LIST | NOTES | |
|---------|---------|--|--|
| FPWR.DM | \$454 | Power unit clamps onto surface | |
| | | The power cord comes attached to the unit. The cord measures approximately 6 ft in length. | |
| | \$454 • | • Includes 3 plugs and 2 USB-A ports | |
| | | • Distributes up to 10 amps | |
| | | • Finish: available in BU and CW | |

DESK MOUNTED POWER UNIT - ADHESIVE



| PART # | LIST | NOTES |
|-----------|-------|--|
| FPWR.DM-2 | \$454 | Power unit attaches to surface with adhesive |
| | | The power cord comes attached to the unit. The cord measures approximately 6 ft in length. |
| | | • Includes 3 plugs, 1 USB-C and 1 USB-A port |
| | | • Distributes up to 10 amps |
| | | Finish: available in BU and CW |

MESH WIRE MANAGER



| PART # | LENGTH | LIST |
|---------|--------|-------|
| FFWM.18 | 18" | \$159 |
| FFWM.34 | 34" | \$159 |

- Wire manager mounts to the bottom of a worksurface to manage cords
 - Finish: Black with red zipper

SINGLE MONITOR ARM



| PART# | HEIGHT | WIDTH | DEPTH | WT. | LIST |
|-------|--------|-------|-------|-------|-------|
| | | | | (LBS) | |
| FMA-S | _ | _ | _ | _ | \$688 |

NOTES

BU, CW, SV Finishes

Includes attachment hardware for clamp, grommet and Verity track mount.

Includes (2) USB ports, 6' cords

DUAL MONITOR ARM



| PART# | HEIGHT | WIDTH | DEPTH | WT. | LIST |
|-------|--------|-------|-------|-------|-------|
| | | | | (LBS) | |
| FMA-D | _ | _ | _ | _ | \$982 |

NOTES

BU, CW, SV Finishes

Includes attachment hardware for clamp, grommet and Verity track mount.

Includes (2) USB ports, 6' cords

Monitor arms cannot be placed directly over the power grommet. If double monitor arm is needed, we recommend two single arms placed to the right and left of the grommet.

Keyed-Alike Information

SPECIFICATION OPTIONS

product #: see charts below

ORDER EXAMPLE

product #: LAM1-KEY-ALIKE-4

| PART # | DESCRIPTION | PRICE | NOTES |
|--------------------|---|--------------|--|
| LAM1-KEY-ALIKE-4 | Lock Core Keyed-Alike (set of 4) - Type 1 Laminate Storage | \$192 | Laminate Key Cores are for use with laminate storage only. Cannot be keyed alike with metal storage. |
| LAM1-KEY-ALIKE-6 | Lock Core Keyed-Alike (set of 6) - Type 1 Laminate Storage | \$289 | Keyed-Alike Lock Cores are sold in sets of 4 or 6. Each set of keyed alike cores includes the cores, each |
| LAM1-FCK | Lock Core Change Key - Type 1 Laminate Storage | \$28 | core has two keys and all cores are the same lock number. • Lock core removal/change keys will need to be ordered |
| LAM1-FMK | Lock Core Master Key - Type 1 Laminate Storage | \$28 | separately. • Specific lock numbers are unavailable. |
| LAM1-KEY-CORE | Single Lock Core - Type 1 Laminate Storage | \$38 each | |
| | | | |
| PART # | DESCRIPTION | PRICE | NOTES |
| METAL1-KEY-ALIKE-4 | Lock Core Keyed-Alike (set of 4) - | \$192 | All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed alike. |

| PART # | DESCRIPTION | PRICE |
|--------------------|--|-------|
| METAL1-KEY-ALIKE-4 | Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage | \$192 |
| METAL1-KEY-ALIKE-6 | Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage | \$289 |
| METAL1-FCK | Lock Core Change Key - Type 1 Metal Storage | \$28 |
| METAL1-FMK | Lock Core Master Key - Type 1 Metal Storage | \$28 |
| METAL1-KEYBLANK | Key Blank - Type 1 Metal Storage | \$4 |

- nets can be keyed-alike
- Metal key cores are for use with metal storage only. Cannot be keyed alike with laminate storage.
- Keyed-Alike Lock Cores are sold in sets of 4 or 6).
- Each set includes four Lock Cores, each with two keys, all with the same lock number.
- Lock core removal/change keys will need to be ordered separately.
- Additional Lock Core Removal Keys and Master Keys are available.